

674
023
birds

Ref.

SMITHSONIAN
LIBRARY





2-16

W-2

THE
DATES OF PUBLICATION

OF SOME OF THE

Zoological Works

OF THE LATE

JOHN GOULD, F.R.S.

COMPILED BY

FREDERICK HERSCHEL WATERHOUSE, A.L.S.,

LIBRARIAN TO THE ZOOLOGICAL SOCIETY OF LONDON.

LONDON:

R. H. PORTER, 6 TENTERDEN STREET, W.

1885.

Price 3s. 6d.

National Museum Library.

QL
674
D23
Birds
Ref.


THE
DATES OF PUBLICATION

OF SOME OF THE

ZOOLOGICAL WORKS

OF THE LATE

JOHN GOULD, F.R.S.



FREDERICK HERSCHEL WATERHOUSE, A.L.S.,

LIBRARIAN TO THE ZOOLOGICAL SOCIETY OF LONDON.




LONDON:

R. H. PORTER, 6 TENTERDEN STREET, W.

1885.

ALEKE FLAMMAM.



PRINTED BY TAYLOR AND FRANCIS,
RED LION COURT, FLEET STREET.

C O N T E N T S.

	PAGE
PREFACE	v
BIOGRAPHICAL SKETCH OF THE LATE JOHN GOULD	vii
THE MAMMALS OF AUSTRALIA.....	1
A MONOGRAPH OF THE MACROPODIDÆ, OR FAMILY OF KANGAROOS	5
THE BIRDS OF GREAT BRITAIN	6
THE BIRDS OF ASIA	15
THE BIRDS OF AUSTRALIA	28
A MONOGRAPH OF THE TROCHILIDÆ, OR HUMMING-BIRDS	45
A MONOGRAPH OF THE ODONTOPHORINÆ, OR PARTRIDGES OF AMERICA	56
A MONOGRAPH OF THE TROGONIDÆ, OR TROGONS	58

P R E F A C E.

As the whole of Mr. Gould's folio series of Zoological Works bear the dates when they were completed, without any reference to the dates and contents of the parts in which the several species were figured (with the exception of the 'Birds of Asia,' which was completed by Mr. R. Bowdler Sharpe), and as I am afraid that before long it will be quite impossible to ascertain these dates, I have thought it might prove useful to record those that I have been able to obtain from their original covers; and should I get a sight of any not included in this list, to publish them on some future occasion. If we look, for instance, at the 'Mammals of Australia,' we shall find that all three volumes bear the date 1863; but the first part of this work appeared in the year 1845.

I am greatly indebted to Mr. R. H. Porter for aiding me in this work by saving for my inspection the whole of

Mr. Gould's works that have come into his hands during the last few years.

Though the main object of this little book is to record the dates of Mr. Gould's Works, I trust it may also prove useful to Zoologists as an Index.

BIOGRAPHICAL SKETCH*.

JOHN GOULD was born at Lyme, in Dorsetshire, in 1804, and in early life he passed several years under the care of the late Mr. J. T. Aiton, of the Royal Gardens at Windsor. In the year 1827 he came to London and became Taxidermist to the Zoological Society's Museum, where he had the good fortune to obtain the intimate friendship of Mr. N. A. Vigors, then one of the leading English naturalists ; and through him John Gould received his first opportunity of appearing as an author. So rare were Himalayan birds in those days that a small collection was thought worthy of description by Mr. Vigors in the 'Proceedings' of the Zoological Society, and the figuring of these specimens was commenced by Mr. Gould under the title of 'A Century of Birds from the Himalayan Mountains.' By this time, however, an event had taken place which had an influence on the whole of his later life, viz. his marriage with Miss Coxen, the daughter of Mr. Nicholas Coxen of Kent. Besides her other accomplishments, Mrs. Gould was an admirable draughtswoman, and, from her husband's sketches, she transferred to stone the figures of the above-named work. Its success was so great that in 1832 the 'Birds of Europe' was commenced, and finished in five large folio volumes in 1837, while simultaneously, in 1834, he issued 'A Monograph of the Rhamphastidæ, or Family of Toucans,' and, in 1838, 'A Monograph

* Taken from 'Nature,' with slight alterations.

of the Trogonidæ, or Family of Trogons.' To the last he maintained his love for these birds, and one of his most recently finished works was a second edition of the last-mentioned Monograph. It is a curious fact that when John Gould proposed to publish his first work he applied to several of the leading firms in London, and not one of them would undertake to bring it out, so that it was only with reluctance that he began to issue the work on his own account. Besides these larger publications he had described the birds collected during the voyage of the 'Beagle' by his friend Mr. Darwin, and had contributed papers on other subjects to the Zoological Society's publications.

We now come to what we consider the most striking incident in Mr. Gould's life, one unsurpassed in its effects in the annals of ornithology. Beyond a few scattered descriptions by some of the older authors, and an account of the Australian birds in the museum of the Linnean Society by Messrs. Vigors and Horsfield, the birds of Australasia were very little known at the date we speak of. Accompanied therefore by his devoted wife, Mr. Gould proceeded in 1838 to study Australian birds in their own home, and he personally explored Tasmania, the islands in Bass's Straits, South Australia, and New South Wales, travelling 400 miles into the interior of the latter country. This voyage, specially undertaken for the purpose of obtaining an exact knowledge of Australian birds, must ever be reckoned as a distinct scientific achievement; and the accounts of the habits of some of the more remarkable species, such as the mound-building Megapodes and the Bower-birds, were quite triumphs in the way of field ornithology. Nests and eggs were collected as well as an excellent series of skins, both of mammals and birds; and here Mr. Gould's beautiful method of preparation was especially noticeable; some of his specimens, skinned more than thirty years ago, are as neat in appearance and as fresh as the day they were prepared. Returning in 1840, after two years' absence, he commenced

the great work on the ‘Birds of Australia,’ which makes seven folio volumes and occupied seven years in its production, being completed in 1848. One of the features of this work is the great increase in our knowledge of the range and habits of Petrels and other sea-birds, to which the author paid great attention during his travels, and is by far the most important, from an ornithological point of view, of all Gould’s works.

Within a year of Mr. Gould’s return from his adventurous voyage he had the misfortune to lose his wife, and for some time he was completely overwhelmed by his bereavement. His collectors in Australia too, about the same period, lost their lives ; one of them, Mr. Gilbert, was killed during Dr. Leichhardt’s expedition overland from Moreton Bay to Port Essington, and Mr. Drummond, while collecting in Western Australia, was also murdered by natives, and a third collector was killed by the explosion of a gun on one of the islands of Bass’s Straits. It speaks volumes, however, for the zeal and energy with which Mr. Gould had prosecuted his researches in the Australian continent that very few birds (sufficient only to form a supplement in a single folio volume) have been discovered since he left the field of his labours in that quarter of the globe.

Another landmark in the career of this great ornithologist was the publication of his ‘Monograph of the Trochilidae, or Family of Humming-Birds.’ These lovely little birds had been for a long time favourites with Mr. Gould, who gradually began to amass that fine collection which has been the admiration of naturalists for so many years. Taking advantage of the Great Exhibition of 1851, he obtained permission from the Zoological Society to erect at his own cost a large building in their gardens in the Regent’s Park, where the collection was open to the public at a charge of sixpence per head. A considerable sum was realized by this exhibition, and a large number of subscribers to his monograph were obtained, including nearly all the royal families of

Europe. Though sketched by Mr. Gould himself (for even to the last days of his life he executed the designs for all his plates), the majority of the Humming-birds were placed on stone by Mr. Richter, who also did the same for Mr. Gould's next work, the 'Birds of Asia.' This work, though not completed at the time of his death *, is most valuable on account of the number of plates of species not figured elsewhere. The 'Mammals of Australia,' produced simultaneously with the last-mentioned work, deserved, in Mr. Gould's own opinion, more credit for its issue than perhaps any work he had done, because it touched upon a branch of zoology of which he never pretended to have any very exact knowledge. So large, however, had been his collections of Mammalia during his sojourn in Australia that some account of them seemed to be demanded, and he therefore published his large folio work ; but the pecuniary results were less satisfactory than with any of his ornithological productions. His typical specimens of the Australian Mammalia are in the national collection. No sooner were the Humming-birds finished than his active brain conceived a new idea, to illustrate becomingly the birds of his native land, and he commenced the publication of the 'Birds of Great Britain.' Opinions may differ as to the merit of Mr. Gould's other works ; volumes less ponderous than the folios which he adopted for the better figuring of the objects of the natural size may take their place with the student ; but no work of greater beauty will be produced than that on which John Gould, returning in his later life to his first love, bestowed the fulness of his energy and the acme of his artistic talent. The care bestowed on the plates of this work was remarkable, the aim of the author being to produce a picture of the birds as they appeared in their natural haunts ; and especial pains were bestowed on the young, particularly those of the

* Since been completed by Mr. R. Bowdler Sharpe, and forms seven volumes.

Wading-birds and Natatores. In this fine work most of the drawings were developed and placed on stone by Mr. W. Hart, who also executed all the plates of the later works.

In 1865 Mr. Gould republished his letterpress of the big work in an octavo form, under the title of ‘A Handbook to the Birds of Australia,’ but with all the additional species inserted in their proper families; these two volumes are therefore of great use to the student. After the completion of his work on ‘British Birds,’ Mr. Gould devoted himself to the continuation of the ‘Birds of Asia’ and the Supplement to the ‘Birds of Australia,’ until, in 1875, he commenced a work on the ‘Birds of New Guinea,’ which was to contain also descriptions of any new species that might be discovered in Australia or any part of the Australian region. Of the last-named work eleven parts have appeared, and it was left unfinished at his death, as well as the following works:—‘A Monograph of the Pittidæ, or Ant-Thrushes of the Old World’ (one part published), and the Supplement to the ‘Monograph of the Humming-Birds.’

The above list enumerates, I believe, all the works published by Mr. Gould, with the exception of the ‘Icones Avium’ (issued about 1838, and containing supplementary plates to his previous volumes, with descriptions of new species), ‘A Monograph of the Odontophorinæ, or Partridges of America,’ ‘Synopsis of the Birds of Australia,’ and ‘A Monograph of the Macropodidæ,’ published in 1841–42. In addition to the folio volumes he was also in the habit of publishing the introductions to his larger works in an octavo form.

The Mammals of Australia. By JOHN GOULD, F.R.S.
 &c. Dedicated by permission to HIS ROYAL
 HIGHNESS PRINCE ALBERT. 3 Vols. Folio.
 London, 1863.

[Published in 13 Parts, 1845-63. Part XIII. (May 1st, 1863) contains, besides two Plates, Titles for three Volumes ; Dedication ; Note to Dedication ; List of Subscribers ; Preface ; Introduction ; Lists of Plates for three Volumes ; General Index ; Directions to the Binder ; 28 Sheets of Letterpress, descriptive of the life-sized heads of animals published in the preceding Parts.]

	Vol.	Plate.	Part.	Date.
Acrobates pygmæus . . .	I.	28	ii.	1849
Antechinus albipes . . .	I.	42	iv.	1852
— apicalis	I.	39	i.	1845
— ferruginifrons	I.	36	vi.	1854
— flavipes	I.	40	vi.	1854
— fuliginosus	I.	41	iv.	1852
— leucogaster	I.	38	vi.	1854
— leucopus	I.	35	xii.	1860
— maculatus	I.	44	iii.	1851
— minutissimus	I.	45	iv.	1852
— murinus	I.	43	iv.	1852
— swainsoni	I.	34	vi.	1854
— unicolor	I.	37	vi.	1854
Arctocephalus lobatus . . .	III.	49	xii.	1860
Belideus ariel	I.	27	ii.	1849
— breviceps	I.	25	ii.	1849
— flaviventer	I.	23	i.	1845
— notatus	I.	26	xii.	1860
— sciureus	I.	24	i.	1845
Bettongia campestris . . .	II.	66	iii.	1851
— cuniculus	II.	63	vi.	1854
— grayii	II.	64	vii.	1855
— ogilbyi	II.	62	iv.	1852

	Vol.	Plate.	Part.	Date.
<i>Bettongia penicillata</i> . . .	II.	61	iv.	1852
— <i>rufescens</i>	II.	65	vii.	1855
<i>Canis dingo</i>	III.	51, 52	xi.	1859
<i>Cheropus castanotis</i> . . .	I.	6	i.	1845
<i>Cuscus brevicaudatus</i> . . .	I.	21	xiii.	1860
<i>Dasyurus geoffroyi</i> . . .	I.	51	iii.	1851
— <i>hallucatus</i>	I.	52	iii.	1851
— <i>maculatus</i>	I.	49	iii.	1851
— <i>viverrinus</i>	I.	50	iii.	1851
<i>Dendrolagus inustus</i> . . .	II.	50	viii.	1856
— <i>ursinus</i>	II.	49	viii.	1856
<i>Dorcopsis bruni</i>	II.	51	x.	1858
<i>Dromicia concinna</i> . . .	I.	30	i.	1845
— <i>gliriformis</i>	I.	29	i.	1845
<i>Echidna hystrix</i>	I.	2	iv.	1852
— <i>setosa</i>	I.	3	ii.	1849
<i>Halmaturus agilis</i> . . .	II.	24, 25	ix.	1857
— <i>bennettii</i>	II.	16, 17	viii.	1856
— <i>billardieri</i>	II.	35, 36	xii.	1860
— <i>brachyurus</i>	II.	37, 38	vii.	1855
— <i>derbianus</i>	II.	29, 30	xi.	1859
— <i>dorsalis</i>	II.	26, 27	ix.	1857
— <i>greyi</i>	II.	18, 19	iv.	1852
— <i>manicatus</i>	II.	20, 21	iv.	1852
— <i>parma</i>	II.	28	viii.	1856
— <i>ruficollis</i>	II.	14, 15	vi.	1854
— <i>stigmaticus</i>	II.	33, 34	xii.	1860
— <i>thetidis</i>	II.	31, 32	ix.	1857
— <i>ualabatus</i>	II.	22, 23	ix.	1857
<i>Hapalotis albipes</i>	III.	1	v.	1853
— <i>apicalis</i>	III.	2	v.	1853
— <i>cervinus</i>	III.	10	v.	1853
— <i>conditor</i>	III.	6	ii.	1849
— <i>hemileucura</i>	III.	3	x.	1858
— <i>hirsutus</i>	III.	4	ix.	1857
— <i>longicaudata</i>	III.	8	i.	1845
— <i>mitchellii</i>	III.	9	i.	1845
— <i>murinus</i>	III.	7	v.	1853
— <i>penicillata</i>	III.	5	iii.	1851
<i>Hydromys chrysogaster</i> . .	III.	24	v.	1853
— <i>fuliginosus</i>	III.	27	v.	1853
— <i>fulvolavatus</i>	III.	25	v.	1853
— <i>leucogaster</i>	III.	26	v.	1853

	Vol.	Plate.	Part.	Date.
<i>Hypsiprymnus apicalis</i> . . .	II.	68	iii.	1851
— <i>gilberti</i>	II.	69	vi.	1854
— <i>murinus</i>	II.	67	vi.	1854
— <i>platyops</i>	II.	70	iii.	1851
<i>Lagorchestes conspicillatus</i> . . .	II.	59	xii.	1860
— <i>fasciatus</i>	II.	56	ii.	1849
— <i>hirsutus</i>	II.	58	ii.	1849
— <i>leichardti</i>	II.	60	v.	1853
— <i>leporoïdes</i>	II.	57	xi.	1859
<i>Macropus fuliginosus</i>	II.	5	x.	1858
— <i>major</i>	II.	1, 2	ix.	1857
— <i>ocydromus</i>	II.	3, 4	xii.	1860
<i>Molossus australis</i>	III.	31	x.	1858
<i>Mus albocinereus</i>	III.	21	ii.	1849
— <i>assimilis</i>	III.	15	x.	1858
— <i>cervinipes</i>	III.	14	iv.	1852
— <i>delicatulus</i>	III.	23	vii.	1855
— <i>fuscipes</i>	III.	11	iii.	1851
— <i>gouldi</i>	III.	19	vii.	1855
— <i>lineolatus</i>	III.	18	ix.	1857
— <i>longipilis</i>	III.	13	vi.	1854
— <i>manicatus</i>	III.	16	x.	1858
— <i>nanus</i>	III.	20	x.	1858
— <i>novae-hollandiae</i>	III.	22	viii.	1856
— <i>sordidus</i>	III.	17	x.	1858
— <i>vellerosus</i>	III.	12	xi.	1859
<i>Myrmecobius fasciatus</i>	I.	4	i.	1845
<i>Nyctophilus geoffroyi</i>	III.	36, 37	v.	1853
— <i>timoriensis</i>	III.	39	xi.	1859
— <i>unicolor</i>	III.	38	xi.	1859
<i>Onychogalea frænata</i>	II.	54	ii.	1849
— <i>lunata</i>	II.	55	ii.	1849
— <i>unguifer</i>	II.	52, 53	xi.	1859
<i>Ornithorhynchus anatinus</i> . .	I.	1	vii.	1855
<i>Osphranter antilopinus</i> . . .	II.	8, 9	x.	1858
— <i>parryi</i>	II.	12, 13	iv.	1852
— <i>robustus</i>	II.	10, 11	x.	1858
— <i>rufus</i>	II.	6, 7	v.	1853
<i>Peragalea lagotis</i>	I.	7	i.	1845
<i>Perameles fasciata</i>	I.	8	ii.	1849
— <i>gunnii</i>	I.	9	xi.	1859
— <i>myosurus</i>	I.	10	i.	1845
— <i>nasuta</i>	I.	11	vii.	1855

	Vol.	Plate.	Part.	Date.
<i>Perameles obesula</i> . . .	I.	12	viii.	1856
<i>Petaurista taguanoïdes</i> . . .	I.	22	v.	1853
<i>Petrogale brachyotis</i> . . .	II.	47	xi.	1859
— <i>concinna</i>	II.	48	viii.	1856
— <i>inornata</i>	II.	45, 46	xii.	1860
— <i>lateralis</i>	II.	41, 42	ix.	1857
— <i>penicillata</i>	II.	39, 40	v.	1853
— <i>xanthopus</i>	II.	43, 44	vii.	1855
<i>Phalangista canina</i>	I.	17	viii.	1856
— <i>cookii</i>	I.	18	viii.	1856
— <i>fuliginosa</i>	I.	15	ii.	1849
— <i>lanuginosa</i>	I.	20	x.	1858
— <i>viverrina</i>	I.	19	viii.	1856
— <i>vulpina</i>	I.	16	viii.	1856
<i>Phascogale calura</i>	I.	32	i.	1845
— <i>lanigera</i>	I.	33	viii.	1856
— <i>penicillata</i>	I.	31	i.	1845
<i>Phascolaretos cinereus</i> . . .	I.	13, 14	vi.	1854
<i>Phascolomys lasiorhinus</i> . . .	I.	59, 60	xiii.	1863
— <i>latifrons</i>	I.	57, 58	xi.	1859
— <i>wombat</i>	I.	55, 56	vii.	1855
<i>Podabrus crassicaudatus</i> . . .	I.	47	i.	1845
— <i>macrourus</i>	I.	46	ii.	1849
<i>Pteropus conspicillatus</i> . . .	III.	29	iii.	1851
— <i>funereus</i>	III.	30	ii.	1849
— <i>poliocephalus</i>	III.	28	ii.	1849
<i>Rhinolophus aurantius</i> . . .	III.	35	iii.	1851
— <i>cervinus</i>	III.	34	vi.	1854
— <i>megaphyllus</i>	III.	33	viii.	1856
<i>Sarcophilus ursinus</i>	I.	48	iii.	1851
<i>Scotophilus gouldi</i>	III.	40	vii.	1855
— <i>greyi</i>	III.	45	x.	1858
— <i>microdon</i>	III.	42	xiii.	1860
— <i>morio</i>	III.	41	vii.	1855
— <i>nigrogriseus</i>	III.	44	viii.	1856
— <i>picatus</i>	III.	43	iv.	1852
— <i>pumilus</i>	III.	46	ix.	1857
<i>Stenorhynchus leptonyx</i> . . .	III.	50	xii.	1860
<i>Taphozous australis</i>	III.	32	vi.	1854
<i>Tarsipes rostratus</i>	I.	5	i.	1845
<i>Thylacinus cynocephalus</i> . . .	I.	53, 54	iii.	1851
<i>Vespertilio macropus</i>	III.	47	vii.	1855
— <i>tasmaniensis</i>	III.	48	x.	1858

A Monograph of the Macropodidæ, or Family of Kangaroos. By JOHN GOULD, F.R.S., F.Z.S., &c. Parts I., II. Folio. London, 1841–42.

[Published without List of Plates. Some of the Plates are the same as those published in the Second Volume of the Mammals of Australia; these I have indicated below.]

	Part.	Plate same as in	Plate.
<i>Bettongia cuniculus</i> . . .	ii.		
— <i>fasciata</i>	ii.		
— <i>penicillata</i>	i.		
— <i>rufescens</i>	i.		
<i>Dendrolagus inustus</i> . . .	ii.		
— <i>ursinus</i>	ii.		
<i>Halmaturus agilis</i>	ii.	Mamm. Austr. ii.	25
— <i>bennetti</i>	i.		
— <i>billardierii</i>	i.	Ditto.	36
— <i>derbianus</i>	i.	Ditto.	30
— <i>dorsalis</i>	i.	Ditto.	27
— <i>manicatus</i>	i.		
— <i>parryi</i>	ii.		
— <i>ruficollis</i>	ii.		
— <i>thetidis</i>	ii.	Ditto.	32
— <i>ualabatus</i>	ii.	Ditto.	23
<i>Hypsiprymnus gilbertii</i> . .	i.		
<i>Lagorchestes conspicillata</i> .	ii.		
— <i>leporoides</i>	i.		
<i>Macropus frænatus</i> . . .	i.		
— <i>fuliginosus</i>	ii.	Ditto.	5
— <i>laniger</i>	i.		
— <i>major</i>	i.	Ditto.	2
— <i>unguifer</i>	i.		
<i>Osphranter antilopinus</i> . .	ii.	Ditto.	9
— <i>brachyotis</i>	i.		
— <i>robustus</i>	i.		
<i>Petrogale inornata</i>	ii.	Ditto.	46
— <i>lateralis</i>	ii.	Ditto.	42
— <i>penicillata</i>	ii.		

The Birds of Great Britain. By JOHN GOULD, F.R.S.
 &c. Dedicated to the RIGHT HONOURABLE ROWLAND,
 VISCOUNT HILL. 5 Vols. Folio. London,
 1873.

[Published in 25 Parts, 1862-73. Part XXV. contains
 Titles, Vols. I. to V.; Dedication; List of Subscribers;
 Preface; Introduction; Lists of Plates, Vols. I. to V.; and
 eight Plates of Young Birds, to be inserted in their proper
 places in Vols. II. and III.]

	Vol.	Plate.	Part.	Date.
<i>Accendor alpinus</i>	II.	54	xiii.	1868
— <i>modularis</i>	II.	55	xiii.	1868
<i>Accipiter nisus</i>	I.	10	v.	1864
<i>Acrocephalus turdoides</i> . .	II.	72	xvii.	1870
<i>Actitis hypoleucus</i>	IV.	58	iv.	1863
— <i>macularius</i>	IV.	59	xxiv.	1873
<i>Actiturus bartramius</i>	IV.	63	xxii.	1872
<i>Actochelidon cantiaca</i>	V.	69	xxii.	1872
<i>Actodromas minuta</i>	IV.	72	xvii.	1870
<i>Aëdon galactodes</i>	II.	53	xvii.	1870
<i>Ægialitis hiaticula</i>	IV.	41	xxiii.	1873
— <i>minor</i>	IV.	42	xix.	1871
<i>Ægialophilus cantianus</i>	IV.	40	xxiii.	1873
<i>Ægiothus linaria</i>	III.	51	ix.	1866
— <i>rufescens</i>	III.	52	ix.	1866
<i>Alauda arborea</i>	III.	16	xvi.	1869
— <i>arvensis</i>	III.	15	xv.	1869
<i>Alca impennis</i>	V.	46	xxiv.	1873
— <i>torda</i>	V.	47	ix.	1866
<i>Alcedo ispida</i>	II.	10	vi.	1864
<i>Ampelis garrulus</i>	II.	21	ii.	1862
<i>Anas boschas</i>	V.	15	xxi.	1872
<i>Aneylocheilus subarquata</i> .	IV.	68	xxii.	1872
<i>Anser albifrons</i>	V.	4	xix.	1871
— <i>brachyrhynchus</i>	V.	3	xix.	1871
— <i>ferus</i>	V.	1	xxiv.	1873
— <i>segetum</i>	V.	2	xxiv.	1873
<i>Anthus arboreus</i>	III.	14	ix.	1866
— <i>campestris</i>	III.	9	ix.	1866
— <i>cervinus</i>	III.	12	xxiii.	1873

	Vol.	Plate.	Part.	Date.
<i>Anthus obscurus</i>	III.	10	xi.	1867
— <i>pratensis</i>	III.	13	iii.	1863
— <i>richardii</i>	III.	8	xii.	1867
— <i>spinoletta</i>	III.	11	xi.	1867
<i>Aquila chrysaëtos</i>	I.	2	iii.	1863
— <i>nævia</i>	I.	3	xvii.	1870
<i>Archibuteo lagopus</i>	I.	7	vi.	1864
<i>Ardea cinerea</i>	IV.	20	viii.	1865
— <i>purpurea</i>	IV.	21	xxiii.	1873
<i>Ardetta minuta</i>	IV.	29	xx.	1871
<i>Arquatella maritima</i>	IV.	74	xv.	1869
<i>Astur palumbarius</i>	I.	9	xv.	1869
<i>Athene noctua</i>	I.	37	xi.	1867
<i>Bernicla brenta</i>	V.	7	xviii.	1870
— <i>leucopsis</i>	V.	5	xii.	1867
— <i>ruficollis</i>	V.	6	xviii.	1870
<i>Botaurus lentiginosus</i>	IV.	28	xxii.	1872
— <i>stellaris</i>	IV.	27	vi.	1864
<i>Brachyotus palustris</i>	I.	32	iv.	1863
<i>Branta rufina</i>	V.	22	xi.	1867
<i>Bubo maximus</i>	I.	30	ix.	1866
<i>Bubuleus russatus</i>	IV.	24	xx.	1871
<i>Budyes cinereocapilla</i>	III.	5	xxii.	1872
— <i>flava</i>	III.	4	xiv.	1868
— <i>rayi</i>	III.	3	xiv.	1868
<i>Buphus comatus</i>	IV.	25	ix.	1866
<i>Butalis grisola</i>	II.	19	iv.	1863
<i>Buteo vulgaris</i>	I.	6	iv.	1863
<i>Caccabis rubra</i>	IV.	14	xiii.	1868
<i>Calamodyta aquatica</i>	II.	76	xix.	1871
— <i>phragmitis</i>	II.	75	i.	1862
<i>Calamoherpe arundinacea</i>	II.	73	i.	1862
— <i>palustris</i>	II.	74	xxi.	1872
<i>Calandrella brachydactyla</i>	III.	21	xv.	1869
<i>Calidris arenaria</i>	IV.	66	xi.	1867
<i>Calobates sulphurea</i>	III.	6, 7	xiii.	1868
<i>Caprimulgus europaeus</i>	II.	1	iii.	1863
— <i>ruficollis</i>	II.	2	xix.	1871
<i>Carduelis elegans</i>	III.	36	iv.	1863
<i>Carpodacus erythrinus</i>	III.	43	xix.	1871
<i>Casarca rutila</i>	V.	12	xvi.	1869
<i>Centrophanes lapponica</i>	III.	30	xii.	1867
<i>Certhia familiaris</i>	II.	64	xiii.	1868

	Vol.	Plate.	Part.	Date.
<i>Chamophilus biarmicus</i> . . .	II.	30	i.	1862
<i>Charadrius pluvialis</i> . . .	IV.	38, 39	v.	1864
<i>Chaulelasmus strepera</i> . . .	V.	19	xiii.	1868
<i>Chelidon urbica</i>	II.	6	xv.	1869
<i>Chroicocephalus philadelphia</i>	V.	65	xxiv.	1873
— <i>ridibundus</i>	V.	64	xxiv.	1873
<i>Chrysomitris spinus</i>	III.	37	xii.	1867
<i>Cichloselys sibiricus</i>	II.	40	xxiii.	1873
<i>Ciconia alba</i>	IV.	30	xx.	1871
— <i>nigra</i>	IV.	31	xx.	1871
<i>Cinclus aquaticus</i>	II.	41	i.	1862
— <i>melanogaster</i>	II.	42	xix.	1871
<i>Circus aeruginosus</i>	I.	24, 25	xiii.	1868
— <i>cinerascens</i>	I.	27	xii.	1867
— <i>cyaneus</i>	I.	26	xii.	1867
<i>Clangula glaucion</i>	V.	31	xv.	1869
<i>Coccothraustes vulgaris</i> . . .	III.	40	i.	1862
<i>Columba livia</i>	IV.	3	xviii.	1870
— <i>œnas</i>	IV.	2	ix.	1866
<i>Colymbus arcticus</i>	V.	44	vii.	1865
— <i>glacialis</i>	V.	43	vii.	1865
— <i>septentrionalis</i>	V.	45	vii.	1865
<i>Coracias garrula</i>	II.	11	ix.	1866
<i>Corvus corax</i>	III.	57	xii.	1867
— <i>cornix</i>	III.	59	xvii.	1870
— <i>corone</i>	III.	58	xviii.	1870
— <i>frugilegus</i>	III.	60	v.	1864
— <i>monedula</i>	III.	61	x.	1866
<i>Coturnix communis</i>	IV.	15	xx.	1871
<i>Cotyle riparia</i>	II.	7	iii.	1863
— — (young)	II.	8	xxv.	1873
<i>Crex pratensis</i>	IV.	87	iii.	1863
<i>Critchophaga miliaria</i>	III.	26	xvi.	1869
<i>Cueulus canorus</i>	III.	67	v.	1864
— — (young)	III.	68	xxv.	1873
<i>Curruca atricapilla</i>	II.	60	vii.	1865
— <i>hortensis</i>	II.	62	vii.	1865
— <i>orphea</i>	II.	61	xxi.	1872
<i>Cursorius gallicus</i>	IV.	44	ix.	1866
<i>Cyanecula leucocyana</i>	II.	50	xxiii.	1873
— <i>suecica</i>	II.	49	viii.	1865
<i>Cygnus ferus</i>	V.	9	xxi.	1872
— <i>minor</i>	V.	10	xxi.	1872

	Vol.	Plate.	Part.	Date.
<i>Cygnus olor</i>	V.	8	xxi.	1872
<i>Cypselus apus</i>	II.	3	i.	1862
— <i>melba</i>	II.	4	xvi.	1869
<i>Dafila acuta</i>	V.	18	xv.	1869
<i>Dryocopus martius</i>	III.	73	xx.	1871
<i>Emberiza cirlus</i>	III.	23	x.	1866
— <i>citrinella</i>	III.	22	x.	1866
— <i>pusilla</i>	III.	25	xvii.	1870
— <i>rustica</i>	III.	24	xx.	1871
<i>Eniconetta stelleri</i>	V.	25	iv.	1863
<i>Enneoctonus collaris</i>	II.	15	ii.	1862
— <i>rufus</i>	II.	16	ii.	1862
<i>Erythacus rubecula</i>	II.	48	x.	1866
<i>Erythropus vespertinus</i>	I.	20	xvi.	1869
<i>Erythrosterna parva</i>	II.	20	xvi.	1869
<i>Eudromias morinellus</i>	IV.	43	i.	1862
<i>Euspiza melanocephala</i>	III.	28	xxi.	1872
<i>Falcinellus igneus</i>	IV.	47	xxi.	1872
<i>Falco aësalon</i>	I.	19	vii.	1865
— <i>candicans</i>	I.	13, 14, 15	xxii.	1872
— <i>gyrfalco</i>	I.	16	xxii.	1872
— <i>islandicus</i>	I.	11, 12	xxii.	1872
— <i>peregrinus</i>	I.	17	i.	1862
— <i>subbuteo</i>	I.	18	viii.	1865
<i>Ficedula hypoleuca</i>	II.	71	vii.	1865
<i>Fratercula arctica</i>	V.	51	viii.	1865
<i>Fregilus graculus</i>	III.	62	xix.	1871
<i>Fringilla cœlebs</i>	III.	34	ii.	1862
— <i>montifringilla</i>	III.	35	ii.	1862
<i>Fulica atra</i>	IV.	84	i.	1862
<i>Fuligula cristata</i>	V.	23	xx.	1871
— <i>marila</i>	V.	24	xvi.	1869
<i>Galerita cristata</i>	III.	17	ix.	1866
<i>Gallinago major</i>	IV.	78	iv.	1863
— <i>scolopacina</i>	IV.	79	iv.	1863
<i>Gallinula chloropus</i>	IV.	85	ii.	1862
<i>Garrulus glandarius</i>	III.	64	i.	1862
<i>Gecinus viridis</i>	III.	74	xxv.	1873
— — (young)	III.	75	xxv.	1873
<i>Gelochelidon anglica</i>	V.	74	xx.	1871
<i>Glareola pratincola</i>	IV.	46	xviii.	1870
<i>Glottis canescens</i>	IV.	53	xv.	1869
<i>Glycyspina hortulana</i>	III.	27	x.	1866

	Vol.	Plate.	Part.	Date.
<i>Grus cinerea</i>	IV.	19	xxiii.	1873
<i>Hæmatopus ostralegus</i>	IV.	45	xviii.	1870
<i>Haliaëtus albicilla</i>	I.	4	iii.	1863
<i>Harelda glacialis</i>	V.	33	xvii.	1870
<i>Herodias alba</i>	IV.	22	xxiii.	1873
— <i>garzetta</i>	IV.	23	xviii.	1870
<i>Himantopus candidus</i>	IV.	34	xviii.	1870
<i>Hirundo rustica</i>	II.	5	iii.	1863
<i>Histrionicus torquatus</i>	V.	32	xv.	1869
<i>Hydrochelidon leucoparea</i>	V.	77	xiv.	1868
— <i>leucoptera</i>	V.	76	xiv.	1868
— <i>nigra</i>	V.	75	xiv.	1868
<i>Hydrocoloeus minutus</i>	V.	66	xvi.	1869
<i>Hydroprogne caspia</i>	V.	68	xxiv.	1873
<i>Lagopus mutus</i>	IV.	8, 9, 10	vi.	1864
— <i>scoticus</i>	IV.	7	xxiii.	1873
<i>Lanius excubitor</i>	II.	13	xiii.	1868
— <i>minor</i>	II.	14	xiii.	1868
<i>Larus argentatus</i>	V.	59	xxiv.	1873
— <i>canus</i>	V.	60	xi.	1867
— <i>fuscus</i>	V.	56	xix.	1871
— <i>glaucus</i>	V.	57	xxiv.	1873
— <i>islandicus</i>	V.	58	xxiv.	1873
— <i>marinus</i>	V.	55	xxiv.	1873
<i>Leimonites temminckii</i>	IV.	73	xvii.	1870
<i>Ligurinus chloris</i>	III.	39	xv.	1869
<i>Limicola pygmæa</i>	IV.	75	xviii.	1870
<i>Limnocinclus pectoralis</i>	IV.	67	xviii.	1870
<i>Limnoerytes gallinula</i>	IV.	80	viii.	1865
<i>Limosa melanura</i>	IV.	50	xiv.	1868
— <i>rufa</i>	IV.	51	xiv.	1868
<i>Linota cannabina</i>	III.	49	xiv.	1868
— <i>montium</i>	III.	50	viii.	1865
<i>Lobipes hyperboreus</i>	IV.	83	x.	1866
<i>Locustella avicula</i>	II.	78	x.	1866
<i>Loxia bifasciata</i>	III.	47	v.	1864
— <i>curvirostra</i>	III.	45	v.	1864
— <i>leucoptera</i>	III.	48	v.	1864
— <i>pityopsittacus</i>	III.	46	v.	1864
<i>Luscinia philomela</i>	II.	56	xi.	1867
<i>Lusciniospis lusciniooides</i>	II.	77	ix.	1866
<i>Machetes pugnax</i> . [mæg]	IV.	61	xix.	1871
— — <i>(first autumn plu-</i>	IV.	62	xxi.	1872

	Vol.	Plate.	Part.	Date.
<i>Macrorhamphus griseus</i> . . .	IV.	76	xxi.	1872
<i>Mareca penelope</i>	V.	13	xix.	1871
<i>Mecistura caudata</i>	II.	28	ii.	1862
— (young)	II.	29	xxv.	1873
<i>Melanocorypha calandra</i> . .	III.	19	xxi.	1872
— leucoptera	III.	20	xx.	1871
<i>Melizophilus provincialis</i> . .	II.	59	ii.	1862
<i>Mergulus alle</i>	V.	50	xiv.	1868
<i>Mergus albellus</i>	V.	37	ii.	1862
— castor	V.	34	x.	1866
— cucullatus	V.	36	x.	1866
— serrator	V.	35	ii.	1862
<i>Merops apiaster</i>	II.	9	xi.	1867
<i>Merula torquata</i>	II.	38	xii.	1867
— vulgaris	II.	37	ix.	1866
<i>Milvus migrans</i>	I.	23	xxii.	1872
— regalis	I.	22	xiii.	1868
<i>Motacilla alba</i>	III.	2	xii.	1867
— yarrelli	III.	1	xii.	1867
<i>Muscicapa atricapilla</i> . . .	II.	17	iv.	1863
— collaris	II.	18	xxiii.	1873
<i>Neophron percnopterus</i> . . .	I.	1	xxi.	1872
<i>Nucifraga caryocatactes</i> . .	III.	65	viii.	1865
— (young)	III.	66	xxv.	1873
<i>Numenius arquata</i>	IV.	48	xv.	1869
— phaeopus	IV.	49	xx.	1871
<i>Nyctale tengmalmi</i>	I.	36	xi.	1867
<i>Nyctea nivea</i>	I.	34	iv.	1863
<i>Nycticorax griseus</i>	IV.	26	xvii.	1870
<i>Nyroca ferina</i>	V.	20	xix.	1871
— leucophthalmos	V.	21	xxi.	1872
<i>Œdincenus crepitans</i> . . .	IV.	35	xv.	1869
<i>Oidemia fusca</i>	V.	29	xii.	1867
— nigra	V.	28	ii.	1862
— perspicillata	V.	30	xii.	1867
<i>Oreocincla aurea</i>	II.	39	xvi.	1869
<i>Oriolus galbula</i>	II.	31	vii.	1865
<i>Otis tarda</i>	IV.	17	v.	1864
— tetrax	IV.	18	v.	1864
<i>Otocoris alpestris</i>	III.	18	xviii.	1870
<i>Otus vulgaris</i>	I.	31	iv.	1863
<i>Oxylophus glandarius</i> . . .	III.	69	xx.	1871
<i>Pagophila eburnea</i>	V.	62	xvii.	1870

	Vol.	Plate.	Part.	Date.
<i>Palumbus torquatus</i>	IV.	1	xiv.	1868
<i>Pandion haliaëtus</i>	I.	5	xvii.	1870
<i>Parus ater</i>	II.	25	ii.	1862
— <i>cæruleus</i>	II.	24	ii.	1862
— <i>cristatus</i>	II.	26	xii.	1867
— <i>major</i>	II.	23	xi.	1867
<i>Passer domesticus</i>	III.	32	iv.	1863
— <i>montanus</i>	III.	33	iv.	1863
<i>Pastor roseus</i>	III.	55	vii.	1865
— — (young)	III.	56	xxv.	1873
<i>Pelidna bonapartii</i>	IV.	71	xxiii.	1873
— <i>cinclus</i>	IV.	69, 70	xi.	1867
<i>Perdix cinerea</i>	IV.	13	xix.	1871
<i>Pernis apivorus</i>	I.	8	x.	1866
<i>Petrocincla saxatilis</i>	II.	44	xv.	1869
<i>Petrocossyphus cyanus</i>	II.	43	xxii.	1872
<i>Phalacrocorax carbo</i>	V.	52	xxiv.	1873
— <i>graculus</i>	V.	53	xxii.	1872
<i>Phalaropus fulicarius</i>	IV.	81, 82	x.	1866
<i>Phasianus colchicus</i>	IV.	12	xxiv.	1873
<i>Phyllopteneutes rufa</i>	II.	66	i.	1862
— <i>sibilatrix</i>	II.	67	i.	1862
— <i>trochilus</i>	II.	65	i.	1862
<i>Pica caudata</i>	III.	63	ii.	1862
<i>Picus leuconotus</i>	III.	71	xxiii.	1873
— <i>major</i>	III.	70	iii.	1863
— <i>minor</i>	III.	72	iii.	1863
<i>Pinicola enucleator</i>	III.	44	xii.	1867
<i>Platalea leucorodia</i>	IV.	32	xiii.	1868
<i>Plectrophanes nivalis</i>	III.	31	xiii.	1868
<i>Podiceps auritus</i>	V.	40	xvii.	1870
— <i>cristatus</i>	V.	38	iii.	1863
— <i>minor</i>	V.	42	i.	1862
— <i>nigricollis</i>	V.	41	iii.	1863
— <i>rubicollis</i>	V.	39	iii.	1863
<i>Poecile palustris</i>	II.	27	x.	1866
<i>Porzana maruetta</i>	IV.	88	vi.	1864
— <i>minuta</i>	IV.	90	vi.	1864
— <i>pygmæa</i>	IV.	89	vi.	1864
<i>Pratincola rubicola</i>	II.	47	vi.	1864
<i>Procellaria glacialis</i>	V.	82	xviii.	1870
<i>Puffinus anglorum</i>	V.	84	xiv.	1868
— <i>major</i>	V.	83	xvii.	1870

	Vol.	Plate.	Part.	Date.
<i>Pyrrhula vulgaris</i>	III.	41	xi.	1867
— (young)	III.	42	xxv.	1873
<i>Querquedula circia</i>	V.	17	vii.	1865
— <i>crecca</i>	V.	16	vii.	1865
<i>Rallus aquaticus</i>	IV.	86	iii.	1863
<i>Recurvirostra avocetta</i> . . .	IV.	52	v.	1864
<i>Reguloïdes superciliosus</i> . . .	II.	68	xv.	1869
<i>Regulus cristatus</i>	II.	69	iii.	1863
— <i>ignicapillus</i>	II.	70	iii.	1863
<i>Rhodostethia rossii</i>	V.	63	xxii.	1872
<i>Rissa tridactyla</i>	V.	61	xvi.	1869
<i>Ruticilla phœnicura</i>	II.	51	vi.	1864
— <i>tithys</i>	II.	52	vi.	1864
<i>Saxicola cenanthe</i>	II.	45	xiv.	1868
— <i>rubetra</i>	II.	46	vi.	1864
<i>Schœnicola arundinacea</i> . . .	III.	29	vii.	1865
<i>Scolopax rusticola</i>	IV.	77	ix.	1866
<i>Scops zore'a</i>	I.	33	xiii.	1868
<i>Serinus hortulanus</i>	III.	38	xviii.	1870
<i>Sitta cæsia</i>	II.	22	iii.	1863
<i>Somateria mollissima</i>	V.	26	xvii.	1870
— <i>spectabilis</i>	V.	27	xvii.	1870
<i>Spatula clypeata</i>	V.	14	xx.	1871
<i>Squatarola helvetica</i>	IV.	36, 37	xxi.	1872
<i>Stercorarius catarrhactes</i> . . .	V.	78	viii.	1865
— <i>longicaudus</i>	V.	81	viii.	1865
— <i>parasiticus</i>	V.	80	viii.	1865
— <i>pomatorhinus</i>	V.	79	viii.	1865
<i>Sterna hirundo</i>	V.	70	viii.	1865
— <i>macrura</i>	V.	72	viii.	1865
— <i>paradisea</i>	V.	71	xi.	1867
<i>Sternula minuta</i>	V.	73	viii.	1865
<i>Strepsilas interpres</i>	IV.	60	x.	1866
<i>Strix flammea</i>	I.	28	xvi.	1869
<i>Sturnus vulgaris</i>	III.	53	xiv.	1868
— (young)	III.	54	xxv.	1873
<i>Sula bassana</i>	V.	54	xxiv.	1873
<i>Surnia funerea</i>	I.	35	xi.	1867
<i>Sylvia cinerea</i>	II.	57	vii.	1865
— <i>curruca</i>	II.	58	vii.	1865
<i>Syrnium aluco</i>	I.	29	v.	1864
<i>Syrrhaptes paradoxus</i>	IV.	11	iv.	1863
<i>Tadorna vulpanser</i>	V.	11	xvi.	1869

	Vol.	Plate.	Part.	Date.
Tetrao tetrix	IV.	6	xx.	1871
— urogallus	IV.	5	xxi.	1872
Thalassidroma leachii	V.	85	xvi.	1869
— pelagica	V.	86	xvi.	1869
Tinnunculus alaudarius	I.	21	ii.	1862
Totanus calidris	IV.	54	xix.	1871
— fuscus	IV.	55	xii.	1867
— glareola	IV.	57	xiv.	1868
— ochropus	IV.	56	viii.	1865
Tringa canutus	IV.	65	xxiii.	1873
Troglodytes europaeus	II.	63	iii.	1863
Tryngites rufescens	IV.	64	viii.	1865
Turdus atrogularis	II.	36	xix.	1871
— iliacus	II.	34	vi.	1864
— musicus	II.	32	ix.	1866
— pilaris	II.	35	vi.	1864
— viscivorus	II.	33	xv.	1869
Turnix africanus	IV.	16	xx.	1871
Turtur auritus	IV.	4	xviii.	1870
Upupa epops	II.	12	xiv.	1868
Uria grylle	V.	49	xvi.	1869
— troile	V.	48	xxiii.	1873
Vanellus cristatus	IV.	33	vii.	1865
Xema sabini	V.	67	x.	1866
Yunx torquilla	III.	76	i.	1862

The Birds of Asia. By JOHN GOULD, F.R.S. Dedicated to the HONOURABLE EAST INDIA COMPANY.
7 Vols. Folio. London, 1850-83.

[Published in 35 Parts, 1850-83. Part XXXV. contains 7 Plates; List of Subscribers; Preface; Introduction; and Lists of Plates and the Titles for Seven Volumes.]

	Vol.	Plate.	Part.	Date.
<i>Acanthiparus jouschistos</i> . . .	II.	68	vii.	1855
— <i>niveogularis</i>	II.	67	vii.	1855
<i>Accentor altaicus</i>	IV.	49	x.	1858
— <i>atrogularis</i>	IV.	48	x.	1858
— <i>erythropygius</i>	IV.	43	xxiii.	1871
— <i>immaculatus</i>	IV.	45	vii.	1855
— <i>montanellus</i>	IV.	41	xxiii.	1871
— <i>nipalensis</i>	IV.	44	vii.	1855
— <i>rubeculoïdes</i>	IV.	46	vii.	1855
— <i>rufidus</i>	IV.	42	xxiii.	1871
— <i>strophius</i>	IV.	47	vii.	1855
<i>Actenoides concretus</i>	I.	42	xxix.	1877
— <i>hombroni</i>	I.	40	xxix.	1877
— <i>lindsayi</i>	I.	41	xxix.	1877
<i>Actinodura egertoni</i>	III.	56	xviii.	1866
— <i>nipalensis</i>	III.	57	xviii.	1866
— <i>ramsayi</i>	III.	59	xxxiii.	1882
— <i>waldeni</i>	III.	58	xxvii.	1875
<i>Ægithalus consobrinus</i>	II.	70	xxvi.	1874
— <i>flammiceps</i>	II.	71	xxx.	1877
<i>Aix galericulata</i>	VII.	69	iv.	1852
<i>Alcedo bengalensis</i>	I.	53	xiv.	1862
— <i>grandis</i>	I.	52	xxii.	1870
<i>Alcippe brunnea</i>	III.	66	xvi.	1864
<i>Allotrius melanotis</i>	II.	16	viii.	1856
— <i>xanthochloris</i>	II.	17	viii.	1856
<i>Ammoperdix bonhami</i>	VII.	1	iii.	1851
— <i>heyi</i>	VII.	2	iii.	1851
<i>Amydrus tristrami</i>	V.	45	xi.	1859
<i>Anorthura formosa</i>	IV.	52	xxxiv.	1883

	Vol.	Plate.	Part.	Date.
<i>Anthus cervinus</i>	IV.	66	xxi.	1869
<i>Argusianus argus</i>	VII.	52	xxxv.	1883
<i>Athene brodiei</i>	I.	15	xxii.	1870
<i>Bambusicola hyperythra</i> . .	VI.	71	xxxii.	1879
— <i>sonorivox</i>	VI.	72	xvi.	1864
<i>Budytes citreoloides</i>	IV.	64	xvii.	1865
<i>Callene albiventris</i>	III.	29	xx.	1868
<i>Calliope camtschatkensis</i> . .	IV.	38	xxxii.	1879
— <i>pectoralis</i>	IV.	39	xxxii.	1879
— <i>tschebaiewi</i>	IV.	40	xxxii.	1879
<i>Calophasia ellioti</i>	VII.	23	xxvi.	1874
<i>Caprimulgus mahrattensis</i> . .	I.	19	ii.	1850
<i>Carcineutes amabilis</i>	I.	50	xxxii.	1880
— <i>melanops</i>	I.	49	xxxii.	1880
— <i>pulchellus</i>	I.	48	xxxii.	1880
<i>Carduelis orientalis</i>	V.	17	xxx.	1877
<i>Carpodacus rhodochlamys</i> . .	V.	26	iv.	1852
— <i>roseus</i>	V.	33	xxxii.	1879
— <i>rubicilla</i>	V.	25	iv.	1852
<i>Catreus wallichii</i>	VII.	18	xvii.	1865
<i>Cecropis daurica</i>	I.	28	xx.	1868
— <i>erythropygia</i>	I.	29	xx.	1868
— <i>hyperythra</i>	I.	30	xx.	1868
— <i>rufula</i>	I.	27	xx.	1868
<i>Ceriornis blythii</i>	VII.	47	xxiv.	1872
— <i>caboti</i>	VII.	48	x.	1854
— <i>melanocephala</i>	VII.	45	vii.	1855
— <i>satyra</i>	VII.	49	xx.	1868
— <i>temmincki</i>	VII.	46	xxi.	1869
<i>Certhia himalayana</i>	IV.	58	ii.	1850
— <i>nipalensis</i>	IV.	57	ii.	1850
<i>Chalcites hodgsoni</i>	VI.	46	xxx.	1877
— <i>xanthorhynchus</i>	VI.	47	xxx.	1877
<i>Chaleophasia sclateri</i> . [lus	VII.	55	xxv.	1873
<i>Chrysocolaptes xanthocepha-</i>	VI.	37	xxx.	1877
<i>Chrysophlegma flavinucha</i> .	VI.	36	i.	1850
<i>Cinclus asiaticus</i>	IV.	21	xii.	1860
— <i>cashmeriensis</i>	IV.	25	xii.	1860
— <i>leucogaster</i>	IV.	24	xii.	1860
— <i>pallasi</i>	IV.	22	xii.	1860
— <i>sordidus</i>	IV.	23	xii.	1860
<i>Cissa pyrrhocyanea</i>	V.	53	i.	1850
— <i>venatoria</i>	V.	54	ix.	1857

	Vol.	Plate.	Part.	Date.
<i>Cochoà purpurea</i>	II.	2	i.	1850
— <i>viridis</i>	II.	1	i.	1850
<i>Columba intermedia</i>	VI.	56	xxxiv.	1883
— <i>leuconota</i>	VI.	55	xxvi.	1874
— <i>rupestris</i>	VI.	54	xxvi.	1874
<i>Conostoma æmodium</i>	III.	31	v.	1853
<i>Copsychus mindanensis</i>	III.	25	xv.	1863
— <i>saularis</i>	III.	24	xv.	1863
— <i>suavis</i>	III.	26	xv.	1863
<i>Coracias affinis</i>	I.	55	xxi.	1869
— <i>indica</i>	I.	54	xxi.	1869
— <i>temmincki</i>	I.	56	xxi.	1869
<i>Corydon sumatranus</i>	I.	61	v.	1853
<i>Coturnix coromandelicus</i> . .	VII.	9	vi.	1854
<i>Crossoptilon auritum</i>	VII.	22	xxii.	1870
<i>Crypsirhina cucullata</i>	V.	52	xv.	1863
<i>Cuculus hyperrythrus</i>	VI.	43	viii.	1856
— <i>strenuus</i>	VI.	42	viii.	1856
<i>Cursorius coromandelicus</i> . .	VII.	65	viii.	1856
<i>Cutia nipalensis</i>	III.	67	viii.	1856
<i>Cymbirhynchus affinis</i>	I.	60	v.	1853
— <i>macrorhynchus</i>	I.	59	v.	1853
<i>Cypselus infumatus</i>	I.	20	xxiv.	1872
<i>Dacelo tyro</i>	I.	51	xii.	1860
<i>Dasylophus superciliosus</i> . .	VI.	44	xxviii.	1876
<i>Delichon nipalensis</i>	I.	31	xx.	1868
<i>Dendrochelidon comatus</i> . . .	I.	25	xi.	1859
— <i>coronatus</i>	I.	21	xi.	1859
— <i>klecho</i>	I.	22	xi.	1859
— <i>mystaceus</i>	I.	24	xi.	1859
— <i>wallacei</i>	I.	23	xi.	1859
<i>Diardigallus prælatus</i>	VII.	21	xii.	1860
<i>Dicæum cruentum</i>	II.	38	vi.	1854
— <i>dorsale</i>	II.	37	xxx.	1877
— <i>pryeri</i>	II.	39	xxxiv.	1883
— <i>retrocinctum</i>	II.	36	xxvii.	1875
<i>Dromolea opistholeuca</i>	IV.	27	xvii.	1865
— <i>picata</i>	IV.	26	xvii.	1865
<i>Drymochares stellatus</i>	III.	61	xxi.	1869
<i>Dumetia albogularis</i>	IV.	5	xii.	1860
— <i>hyperrythra</i>	IV.	6	xii.	1860
<i>Elanus hypoleucus</i>	I.	12	xii.	1860
<i>Emberiza caniceps</i>	V.	6	vi.	1854

	Vol.	Plate.	Part.	Date.
<i>Emberiza cinerea</i>	V.	8	xxii.	1870
— <i>fucata</i>	V.	9	xxi.	1869
— <i>pusilla</i>	V.	7	xix.	1867
— <i>rustica</i>	V.	10	xxi.	1869
<i>Enicurus chinensis</i>	IV.	70	xviii.	1866
— <i>guttatus</i>	IV.	69	xviii.	1866
— <i>maculatus</i>	IV.	68	xviii.	1866
— <i>scouleri</i>	IV.	71	xviii.	1866
<i>Erythropus amurensis</i> . . .	I.	8	xxxii.	1880
<i>Erythrosipa githaginea</i> . . .	V.	31	xxxii.	1880
— <i>incarnata</i>	V.	30	xxix.	1877
— <i>obsoleta</i>	V.	29	xxix.	1877
<i>Euphonia melanura</i>	V.	19	iii.	1851
— <i>personata</i>	V.	18	iii.	1851
<i>Euplocaetus lineatus</i>	VII.	14	xxvii.	1875
— <i>swinhoii</i>	VII.	16	xvi.	1864
— <i>vieilloti</i>	VII.	15	iv.	1852
<i>Eurinorhynchus pygmæus</i> . .	VII.	66	xxiv.	1872
<i>Eurylaimus javanicus</i>	I.	57	v.	1853
— <i>ochromelas</i>	I.	58	v.	1853
<i>Euspiza elegans</i>	V.	12	xxxii.	1880
— <i>luteola</i>	V.	14	xxii.	1870
— <i>melanocephala</i>	V.	13	xxii.	1870
<i>Excalfactoria chinensis</i> . . .	VII.	6	xix.	1867
— <i>minima</i>	VII.	7	xix.	1867
<i>Falco babylonicus</i>	I.	4	xx.	1868
— <i>jugger</i>	I.	7	i.	1850
— <i>lanarius</i>	I.	6	xx.	1868
— <i>peregrinator</i>	I.	3	iii.	1851
— <i>sacer</i>	I.	5	xx.	1868
<i>Fringilla burtoni</i>	V.	16	i.	1850
<i>Gallinula phœnicura</i>	VII.	67	xxiv.	1872
<i>Galloperdix lunulosa</i>	VI.	69	vi.	1854
— <i>spadiceus</i>	VI.	68	vi.	1854
— <i>zeylonicus</i>	VI.	67	vi.	1854
<i>Gallus sonneratii</i>	VII.	56	xxx.	1877
<i>Garrulax chinensis</i>	III.	54	xxv.	1873
— <i>delesserti</i>	III.	48	xix.	1867
— <i>galbanus</i>	III.	52	xxvii.	1875
— <i>gularis</i>	III.	49	xix.	1867
— <i>picticollis</i>	III.	53	xxvi.	1874
— <i>pœcilorhyncha</i>	III.	51	xvi.	1864
— <i>ruficeps</i>	III.	50	xvi.	1864

	Vol.	Plate.	Part.	Date.
<i>Garrulus taivanus</i>	V.	58	xvi.	1864
<i>Gecinus tancolo</i>	VI.	35	xvi.	1864
<i>Gennæus nycthemerus</i> . . .	VII.	17	xi.	1859
<i>Glareola lactea</i>	VII.	64	xxi.	1869
— <i>melanoptera</i>	VII.	63	ii.	1850
<i>Glycyspina huttoni</i>	V.	11	xxi.	1869
<i>Grandala cœlicolor</i>	IV.	35	xiv.	1862
<i>Gyps bengalensis</i>	I.	2	iii.	1851
<i>Hæmatortyx sanguiniceps</i> .	VI.	70	xxxii.	1879
<i>Hæmatospiza sipahi</i>	V.	24	iv.	1852
<i>Haleyon atricapillus</i>	I.	45	xii.	1860
— <i>fulgidus</i>	I.	46	xii.	1860
— <i>fusca</i>	I.	43	xiii.	1861
— <i>gularis</i>	I.	44	xiii.	1861
— <i>omnicolor</i>	I.	47	xii.	1860
<i>Harpactes ardens</i>	I.	76	xiv.	1862
— <i>diardi</i>	I.	70	xvii.	1865
— <i>duvauceli</i>	I.	67	xi.	1859
— <i>fasciatus</i>	I.	75	vi.	1854
— <i>hodgsoni</i>	I.	69	xvii.	1865
— <i>kasumba</i>	I.	74	viii.	1856
— <i>mackloti</i>	I.	73	xvii.	1865
— <i>oreskios</i>	I.	71	xvii.	1865
— <i>reinwardti</i>	I.	72	xvii.	1865
— <i>rutilus</i>	I.	68	xi.	1859
<i>Hemicercus concretus</i> . . .	VI.	19	xxviii.	1876
— <i>cordatus</i>	VI.	18	xxviii.	1876
— <i>hartlaubi</i>	VI.	20	xxviii.	1876
<i>Hesperiphona affinis</i>	V.	23	xx.	1868
— <i>icterioides</i>	V.	22	iii.	1851
<i>Hirundo filifera</i>	I.	26	xviii.	1866
<i>Hydrophasianus sinensis</i> . .	VII.	68	vii.	1855
<i>Hyloterpe philippinensis</i> . .	II.	12	xxxiii.	1882
<i>Hypsipetes nigerrima</i>	III.	12	xvi.	1864
<i>Hypurolepis domicola</i>	I.	32	xx.	1868
<i>Ianthocincla artemisiae</i> . . .	III.	45	xxv.	1873
— <i>austeni</i>	III.	47	xxv.	1873
— <i>lunulata</i>	III.	46	xxv.	1873
— <i>ocellata</i>	III.	44	xxv.	1873
<i>Ibidorhynchus struthersi</i> . . .	VII.	61	viii.	1856
<i>Indicator xanthonotus</i>	VI.	48	xxxv.	1883
<i>Irena criniger</i>	III.	20	xxxii.	1880
— <i>cyanea</i>	III.	19	xxxii.	1880

	Vol.	Plate.	Part.	Date.
<i>Irena cyanogastra</i>	III.	22	xxxiii.	1882
— <i>melanochlamys</i>	III.	23	xxxiii.	1882
— <i>puella</i>	III.	21	xxxiv.	1883
<i>Ithaginus cruentus</i>	VII.	43	iii.	1851
— <i>geoffroyii</i>	VII.	42	xxiv.	1872
<i>Ixulus castaneiceps</i>	IV.	11	xv.	1863
— <i>flavicollis</i>	IV.	13	xiv.	1862
— <i>occipitalis</i>	IV.	12	xiv.	1862
<i>Ixus sinensis</i>	III.	11	xxvi.	1874
<i>Iyngipicus aurantiiventris</i> .	VI.	23	xxxiii.	1882
— <i>auritus</i>	VI.	29	xxxiv.	1883
— <i>canicapillus</i>	VI.	27	xxxiv.	1883
— <i>doerriesi</i>	VI.	22	xxxiii.	1882
— <i>fulvifasciatus</i>	VI.	31	xxxiv.	1883
— <i>gymnophthalmus</i>	VI.	32	xxxv.	1883
— <i>hardwickii</i>	VI.	28	xxxiv.	1883
— <i>maculatus</i>	VI.	30	xxxiv.	1883
— <i>nanus</i>	VI.	34	xxxv.	1883
— <i>peninsularis</i>	VI.	33	xxxv.	1883
— <i>ramsayi</i>	VI.	24	xxxiii.	1882
— <i>scintilliceps</i>	VI.	21	xxxiii.	1882
— <i>semicoronatus</i>	VI.	26	xxxiv.	1883
— <i>temmincki</i>	VI.	25	xxxiii.	1882
<i>Lagenopastes fluvicola</i>	I.	33	xx.	1868
<i>Leioptila annectens</i>	III.	30	xxxiv.	1883
<i>Leiothrix argentauris</i>	IV.	16	xiv.	1862
— <i>laurinae</i>	IV.	17	xxxv.	1883
— <i>luteus</i>	IV.	15	iii.	1851
<i>Lepidogrammus cumingi</i>	VI.	45	xxviii.	1876
<i>Leptopœcile sophiae</i>	II.	62	xxviii.	1876
<i>Lerwa nivicola</i>	VI.	75	vii.	1855
<i>Limonidromus indicus</i>	IV.	67	xiv.	1862
<i>Lobiophasis bulweri</i>	VII.	13	xxvii.	1875
— <i>castaneicaudatus</i>	VII.	12	xxx.	1877
<i>Lophophorus impeyanus</i>	VII.	53	ii.	1850
— <i>lhuysi</i>	VII.	54	xxv.	1873
<i>Loxia himalayana</i>	V.	41	xiii.	1860
<i>Malacoturnix superciliosus</i> .	VII.	8	xx.	1868
<i>Mecistura glaucogularis</i> . . .	II.	69	vii.	1855
<i>Megalæma franklinii</i>	VI.	50	xxii.	1870
— <i>nuchalis</i>	VI.	49	xvi.	1864
<i>Melanochlora sultanea</i>	II.	51	xx.	1868
<i>Melanocorypha maxima</i>	IV.	72	xix.	1867

	Vol.	Plate.	Part.	Date.
<i>Meropogon forsteni</i> . . .	I.	39	xxv.	1873
<i>Merops philippinus</i> . . .	I.	36	vii.	1855
— <i>quinticolor</i> . . .	I.	34	viii.	1856
— <i>viridis</i> . . .	I.	35	vii.	1855
<i>Merula albocincta</i> . . .	III.	6	xi.	1859
— <i>boulboul</i> . . .	III.	7	xi.	1859
— <i>castanea</i> . . .	III.	5	xi.	1859
— <i>unicolor</i> . . .	III.	4	x.	1858
<i>Micropertix erythrorhyncha</i>	VII.	3	xiv.	1862
<i>Milvus govinda</i> . . .	I.	11	iv.	1852
<i>Montifringilla adamsii</i> . .	V.	1	xix.	1867
— <i>arctoa</i> . . .	V.	2	iii.	1851
— <i>brunneinucha</i> . . .	V.	4	iv.	1852
— <i>haematoptygia</i> . . .	V.	3	iii.	1851
— <i>ruficollis</i> . . .	V.	5	xxvii.	1875
<i>Motacilla dukhunensis</i> . .	IV.	62	xiii.	1861
— <i>maderaspatensis</i> . .	IV.	61	v.	1853
— <i>personata</i> . . .	IV.	63	xiii.	1861
<i>Muscipeta incei</i> . . .	II.	19	iv.	1852
— <i>paradisi</i> . . .	II.	18	iv.	1852
<i>Mycerobas carneipes</i> . . .	V.	21	iii.	1851
— <i>melanoxanthus</i> . . .	V.	20	iii.	1851
<i>Myiophoneus (Arrenga) blighi</i>	III.	27	xxviii.	1876
— <i>insularis</i> . . .	III.	28	xvi.	1864
<i>Myzanthe ignipectus</i> . . .	II.	40	vi.	1854
<i>Myzornis pyrrhura</i> . . .	IV.	20	viii.	1856
<i>Nectarinia asiatica</i> . . .	II.	32	viii.	1856
— <i>goalpariensis</i> . . .	II.	29	ii.	1850
— <i>gouldiae</i> . . .	II.	26	xix.	1867
— <i>ignicauda</i> . . .	II.	28	ii.	1850
— <i>insignis</i> . . .	II.	25	xix.	1867
— <i>lotenia</i> . . .	II.	33	viii.	1856
— <i>nipalensis</i> . . .	II.	31	ii.	1850
— <i>osea</i> . . .	II.	23	xix.	1867
— <i>saturata</i> . . .	II.	27	xix.	1867
— <i>vigorsii</i> . . .	II.	30	ii.	1850
— <i>zeylonica</i> . . .	II.	24	xix.	1867
<i>Niltava grandis</i> . . .	II.	20	ii.	1850
— <i>macgregoriæ</i> . . .	II.	22	ii.	1850
— <i>sundara</i> . . .	II.	21	ii.	1850
<i>Nucifraga multipunctata</i> . .	V.	59	i.	1850
<i>Numenius rufescens</i> . . .	VII.	60	xvi.	1864
<i>Nyctiornis amictus</i> . . .	I.	38	ii.	1850

	Vol.	Plate.	Part.	Date.
<i>Nyctiornis athertoni</i> . . .	I.	37	ii.	1850
<i>Oriolus broderipi</i> . . .	II.	73	xxxii.	1878
— <i>chinensis</i> . . .	II.	72	xxx.	1877
<i>Orthotomus longicaudus</i> . .	IV.	7	xxv.	1873
<i>Otidiphaps nobilis</i> . . .	VI.	53	xxiii.	1871
<i>Otis macqueeni</i> . . .	VII.	58	iii.	1851
<i>Otogyps calvus</i> . . .	I.	1	xii.	1860
<i>Palæornis affinis</i> . . .	VI.	11	x.	1858
— <i>calthropæ</i> . . .	VI.	1	xxvi.	1874
— <i>caniceps</i> . . .	VI.	5	ix.	1857
— <i>columboïdes</i> . . .	VI.	7	x.	1858
— <i>cyancephala</i> . . .	VI.	3	xxvi.	1874
— <i>derbianus</i> . . .	VI.	9	x.	1858
— <i>luciani</i> . . .	VI.	4	ix.	1857
— <i>malaccensis</i> . . .	VI.	10	x.	1858
— <i>nicobaricus</i> . . .	VI.	6	ix.	1857
— <i>rosa</i> . . .	VI.	2	xxvi.	1874
— <i>schisticeps</i> . . .	VI.	8	x.	1858
<i>Palumbus elphinstonei</i> . .	VI.	57	vi.	1854
— <i>pulchricollis</i> . . .	VI.	58	vi.	1854
<i>Paradoxornis austeni</i> . . .	III.	73	xxvi.	1874
— <i>flavirostris</i> . . .	III.	75	vi.	1854
— <i>gularis</i> . . .	III.	77	vi.	1854
— <i>heudei</i> . . .	III.	74	xxvi.	1874
— <i>ruficeps</i> . . .	III.	78	vi.	1854
— <i>unicolor</i> . . .	III.	76	vi.	1854
<i>Parus castaneoventris</i> . . .	II.	49	xvi.	1864
— <i>cinereus</i> . . .	II.	55	x.	1858
— <i>dichrous</i> . . .	II.	58	xi.	1859
— <i>elegans</i> . . .	II.	50	xxx.	1877
— <i>jerdoni</i> . . .	II.	54	ix.	1857
— <i>melanolophus</i> . . .	II.	61	xi.	1859
— <i>minor</i> . . .	II.	56	x.	1858
— <i>monticulus</i> . . .	II.	57	x.	1858
— <i>rubidiventris</i> . . .	II.	59	xi.	1859
— <i>rufonuchalis</i> . . .	II.	60	xi.	1859
— <i>spilonotus</i> . . .	II.	53	ix.	1857
— <i>venustulus</i> . . .	II.	48	xxiii.	1871
— <i>xanthogenys</i> . . .	II.	52	ix.	1857
<i>Passer ammodendri</i> . . .	V.	15	xxiv.	1872
<i>Pellorneum palustre</i> . . .	III.	65	xxiv.	1872
<i>Perdicula argoondah</i> . . .	VII.	5	xv.	1863
— <i>asiatica</i> . . .	VII.	4	xv.	1863

	Vol.	Plate.	Part.	Date.
<i>Perdix barbata</i>	VI.	73	xxiii.	1871
— <i>hodgsoniae</i>	VI.	74	ix.	1857
<i>Pericrocotus cantonensis</i> . .	II.	4	xxvi.	1874
— <i>cinereus</i>	II.	11	ix.	1857
— <i>erythropygius</i>	II.	6	i.	1850
— <i>flammeus</i>	II.	8	ix.	1857
— <i>griseogularis</i>	II.	3	xvi.	1864
— <i>peregrinus</i>	II.	9	ix.	1857
— <i>roseus</i>	II.	10	ix.	1857
— <i>solaris</i>	II.	5	i.	1850
— <i>speciosus</i>	II.	7	ix.	1857
<i>Petrocincla erythrogaster</i> . .	III.	8	xv.	1863
<i>Phasianus chrysomelas</i> . . .	VII.	36	xxviii.	1876
— <i>colchicus</i>	VII.	34	xxi.	1869
— <i>mongolicus</i>	VII.	41	x.	1858
— <i>reevesii</i>	VII.	33	xxi.	1869
— <i>scintillans</i>	VII.	38	xix.	1867
— <i>shawi</i>	VII.	35	xxviii.	1876
— <i>soemmeringii</i>	VII.	37	xix.	1867
— <i>torquatus</i>	VII.	39	viii.	1856
— <i>versicolor</i>	VII.	40	ix.	1857
<i>Phlogoenas erinigera</i>	VI.	52	xviii.	1866
— <i>cruenta</i>	VI.	51	xviii.	1866
— <i>tristigmata</i>	VI.	59	xxv.	1873
<i>Phodilus badius</i>	I.	14	xxii.	1870
<i>Phyllopneuste tristis</i>	IV.	59	xvii.	1865
<i>Phyllornis cyanopogon</i>	III.	18	xiii.	1861
— <i>hardwicki</i>	III.	14	xiii.	1861
— <i>hodgsoni</i>	III.	15	xiii.	1861
— <i>javensis</i>	III.	13	xiii.	1861
— <i>jerdoni</i>	III.	17	xiii.	1861
— <i>malabaricus</i>	III.	16	xiii.	1861
<i>Pica bactriana</i>	V.	56	xv.	1863
— <i>bottanensis</i>	V.	57	xv.	1863
— <i>leucoptera</i>	V.	55	xiv.	1862
<i>Picus cabanisi</i>	VI.	17	ix.	1857
— <i>insularis</i>	VI.	16	xvi.	1864
<i>Pipastes agilis</i>	IV.	65	xvii.	1865
<i>Pitta arquata</i>	V.	69	xxiv.	1872
— <i>atricapilla</i>	V.	76	iv.	1852
— <i>baudii</i>	V.	72	xxix.	1877
— <i>bengalensis</i>	V.	64	xxiii.	1871
— <i>boschii</i>	V.	83	xxv.	1873

		Vol.	Plate.	Part.	Date.
Pitta cœrulea	V.	81	xxx.	1877	
— coccinea	V.	68	xxxi.	1879	
— eucnillata	V.	82	xxx.	1877	
— cyanea	V.	80	i.	1850	
— cyanura	V.	77	xv.	1863	
— ellioti	V.	66	xxxi.	1879	
— granatina	V.	67	xxxi.	1879	
— gurneyi	V.	73	xxix.	1877	
— kochi	V.	71	xxxii.	1880	
— megarhyncha	V.	70	xxiv.	1872	
— nipalensis	V.	79	i.	1850	
— oreas	V.	65	xxiii.	1871	
— schwaneri	V.	78	xv.	1863	
— steerii	V.	74	xxix.	1877	
— ussheri	V.	75	xxix.	1877	
Pluvianus ægyptius	VII.	62	xvii.	1865	
Podoces biddulphi	V.	60	xxvii.	1875	
— hendersoni	V.	61	xxvii.	1875	
— humeralis	V.	63	xxvii.	1875	
— panderi	V.	62	xxvii.	1875	
Polypelectron bicalcaratum	VII.	51	xxii.	1870	
— chinquis	VII.	50	xxiii.	1871	
Pomatorhinus erythroenemis	III.	33	xvi.	1864	
Pratincole indica	IV.	34	xv.	1863	
— leucura	IV.	33	xviii.	1866	
Prioniturus discurus	VI.	15	xiv.	1862	
— flavicans	VI.	13	xiv.	1862	
— setarius	VI.	12	xiv.	1862	
— spatuliger	VI.	14	xiv.	1862	
Prionochilus vinctens	II.	41	xxxi.	1879	
Psaltria concinna	II.	65	vii.	1855	
— erythrocephala	II.	64	vii.	1855	
— exilis	II.	63	vii.	1855	
— leucogenys	II.	66	vii.	1855	
Psarapholus ardens	II.	75	xxiii.	1871	
— trailli	II.	74	xxiii.	1871	
Psarisomus dalhousiae	I.	64	v.	1853	
Pterocles coronatus	VI.	63	iii.	1851	
— exustus	VI.	64	ii.	1850	
— fasciatus	VI.	65	ii.	1850	
— guttatus	VI.	62	iii.	1851	
Pterorhinus davidi	III.	55	xxiii.	1871	
Pteruthius aeralatus	II.	13	xxviii.	1876	

	Vol.	Plate.	Part.	Date.
Pteruthius erythropterus . .	II.	14	viii.	1856
— rufiventer	II.	15	viii.	1856
Pucrasia castanea	VII.	27	vi.	1854
— darwini	VII.	25	xxvii.	1875
— macrolopha	VII.	26	vi.	1854
— nipalensis	VII.	28	vi.	1854
— xanthospila	VII.	24	xxi.	1869
Pyrrhula aurantia	V.	34	x.	1858
— cineracea	V.	40	xxvii.	1875
— erithacus	V.	39	xxxii.	1880
— erythrocephala	V.	36	v.	1853
— major	V.	38	xxxii.	1880
— nipalensis	V.	37	v.	1853
— orientalis	V.	35	v.	1853
Regulus himalayensis . .	IV.	60	xxi.	1869
Rhodopechys sanguinea . .	V.	28	xxix.	1877
Rhodophila melanoleuca . .	IV.	32	xviii.	1866
Rhopophilus pekinensis . .	IV.	3	xxv.	1873
Rimator malacoptilus . .	III.	60	xxii.	1870
Ruticilla erythrogastera . .	IV.	36	iii.	1851
— erythroprocta	IV.	37	viii.	1856
Salpornis spilonota	IV.	56	xx.	1868
Sarcophanops steerii	I.	65	xxx.	1877
Sasia abnormis	VI.	41	xxii.	1870
— ochracea	VI.	40	xxii.	1870
Saxicola atrogularis	IV.	31	xvii.	1865
— capistrata	IV.	28	xvii.	1865
— leucomela	IV.	29	xvii.	1865
— montana	IV.	30	xvii.	1865
Scops pennatus	I.	13	xxii.	1870
Serilophus lunatus	I.	62	v.	1853
— rubropygius	I.	63	v.	1853
Sibia melanoleuca	III.	32	xxxiii.	1882
Sitta castaneoventris	II.	45	i.	1850
— cinnamomeoventris . .	II.	44	i.	1850
— formosa	II.	43	i.	1850
— himalayensis	II.	47	i.	1850
— leucopsis	II.	46	i.	1850
— nagaensis	II.	42	xxvii.	1875
Siva cyanouroptera	IV.	19	xiv.	1862
— strigula	IV.	18	xiv.	1862
Sphenocichla humii	IV.	55	xxxiii.	1882
— roberti	IV.	54	xxxiii.	1882

	Vol.	Plate.	Part.	Date.
<i>Spilornis rufipectus</i> . . .	I.	9	xii.	1860
<i>Spizaëtus alboniger</i> . . .	I.	10	xv.	1863
<i>Spizixos canifrons</i> . . .	III.	9	xviii.	1866
— <i>semitorques</i> . . .	III.	10	xviii.	1866
<i>Stachyris pyrrhops</i> . . .	IV.	9	xv.	1863
— <i>ruficeps</i> . . .	IV.	10	xxv.	1873
<i>Staphida torqueola</i> . . .	IV.	8	xxiii.	1871
<i>Sterna melanogaster</i> . . .	VII.	70	xix.	1867
<i>Strix candida</i> . . .	I.	18	xxiv.	1872
— <i>indica</i> . . .	I.	17	xxiv.	1872
<i>Sturnus humii</i> . . .	V.	43	xxix.	1877
— <i>purpurascens</i> . . .	V.	44	xxii.	1870
— <i>unicolor</i> . . .	V.	42	xxix.	1877
<i>Suthora brunnea</i> . . .	III.	68	xxviii.	1876
— <i>fulvifrons</i> . . .	III.	71	iv.	1852
— <i>munipurensis</i> . . .	III.	69	xxix.	1877
— <i>nipalensis</i> . . .	III.	70	iv.	1852
— <i>webbiana</i> . . .	III.	72	iv.	1852
<i>Suya lepida</i> . . .	IV.	4	vii.	1855
<i>Sylvia nana</i> . . .	IV.	50	xxvi.	1874
<i>Syphætides auritus</i> . . .	VII.	57	xviii.	1866
<i>Syrnium ocellatum</i> . . .	I.	16	xxii.	1870
<i>Syrrhaptes paradoxus</i> . .	VI.	60	xix.	1867
— <i>tibetanus</i> . . .	VI.	61	ii.	1850
<i>Tantalus leucocephalus</i> . .	VII.	59	xiv.	1862
<i>Tesia castaneo-coronata</i> . .	IV.	2	x.	1858
— <i>cyaneiventer</i> . . .	IV.	1	x.	1858
<i>Tetrao mlokosiewiczi</i> . . .	VI.	66	xxxii.	1879
<i>Tetraogallus altaicus</i> . . .	VII.	31	v.	1853
— <i>caspicus</i> . . .	VII.	29	v.	1853
— <i>himalayensis</i> . . .	VII.	30	v.	1853
— <i>tibetanus</i> . . .	VII.	32	v.	1853
<i>Tetraophasis obscurus</i> . . .	VII.	44	xxvi.	1874
<i>Thaumalea amherstiae</i> . . .	VII.	20	xviii.	1866
— <i>pieta</i> . . .	VII.	19	xviii.	1866
<i>Trochalopteron affine</i> . . .	III.	37	xxviii.	1876
— <i>blythii</i> . . .	III.	41	xxvi.	1874
— <i>cineraceum</i> . . .	III.	39	xxvii.	1875
— <i>elliotii</i> . . .	III.	42	xxv.	1873
— <i>formosum</i> . . .	III.	36	xxiv.	1872
— <i>melanostigma</i> . . .	III.	43	xxxiii.	1882
— <i>phœniceum</i> . . .	III.	35	xxiv.	1872
— <i>variegatum</i> . . .	III.	38	xxviii.	1876

	Vol.	Plate.	Part.	Date.
<i>Trochalopteron virgatum</i> . . .	III.	40	xxvii.	1875
<i>Troglodytes nipalensis</i> . . .	IV.	51	iv.	1852
<i>Turdinulus roberti</i> . . .	III.	62	xxxiv.	1882
<i>Turdinus brevicaudatus</i> . . .	III.	63	xxiv.	1872
<i>Turdus fuscatus</i>	III.	1	iv.	1852
— <i>gouldi</i>	III.	3	xxv.	1873
— <i>ruficollis</i>	III.	2	iv.	1852
<i>Turnix dusumieri</i>	VII.	10	xxi.	1869
— <i>fasciatus</i>	VII.	11	xiii.	1861
<i>Upupa nigripennis</i>	I.	66	xxxii.	1880
<i>Uragus sibiricus</i>	V.	27	xxxv.	1883
<i>Uria carbo</i>	VII.	71	iv.	1851
<i>Urocichla longicauda</i>	IV.	53	xxxiv.	1883
<i>Urocissa cærulea</i>	V.	46	xvi.	1864
— <i>cucullata</i>	V.	51	xiii.	1861
— <i>flavirostris</i>	V.	50	xiii.	1861
— <i>magnirostris</i>	V.	49	xiii.	1861
— <i>occipitalis</i>	V.	47	xiii.	1861
— <i>sinensis</i>	V.	48	xiii.	1861
<i>Urocynchramus pylzowi</i> . . .	V.	32	xxxii.	1879
<i>Vivia innominata</i>	VI.	39	xxii.	1870
<i>Xiphoramphus superciliaris</i> .	III.	34	ix.	1857
<i>Yuhina diademata</i>	III.	64	xxiv.	1872
— <i>occipitalis</i>	IV.	14	xv.	1863
<i>Yunx indica</i>	VI.	38	i.	1850
<i>Zosterops erythropleura</i> . . .	II.	35	xxiii.	1871
— <i>simplex</i>	II.	34	xxiii.	1871

The Birds of Australia. By JOHN GOULD, F.R.S. &c.
Dedicated by permission to HER MAJESTY. 7
Vols. Folio. London, 1848.

[Published in 36 Parts, 1840-48. Part XXXVI. contains 9 Plates; Titles for Vols. I. to VII.; Lists of Plates for Vols. I. to VII.; Dedication; List of Subscribers; General Index; Preface; Introduction; Table of the Range of the Species; Directions to the Binder.]

Ditto. Supplement. 1 Vol. Folio. London, 1869.

[Published in 5 Parts, 1851-69. Part V. contains 16 Plates; Title; Introduction; List of Plates.]

	Vol.	Plate.	Part.	Date.
<i>Acanthiza apicalis</i>	III.	57	xxvi.	1847
— <i>chrysorrhœa</i>	III.	63	xvi.	1844
— <i>diemenensis</i>	III.	54	xvii.	1844
— <i>ewingii</i>	III.	55	xvii.	1844
— <i>inornata</i>	III.	59	xxiv.	1846
— <i>lineata</i>	III.	61	xx.	1845
— <i>magna</i>	Suppl.	28	ii.	1855
— <i>nana</i>	III.	60	xxii.	1846
— <i>pusilla</i>	III.	53	xxviii.	1847
— <i>pyrrhopygia</i>	III.	58	xxviii.	1847
— <i>reguloïdes</i>	III.	62	xxii.	1846
— <i>uropygialis</i>	III.	56	xxi.	1845
<i>Acanthogenys rufogularis</i> .	IV.	53	xvi.	1844
<i>Acanthorhynchus superciliosus</i>	IV.	62	xi.	1843
— <i>tenuirostris</i>	IV.	61	xi.	1843
<i>Acanthylis caudacuta</i> . .	II.	10	ix.	1842
<i>Accipiter torquatus</i>	I.	19	vi.	1842
<i>Aerocephalus australis</i>	III.	37	xxvii.	1847
— <i>longirostris</i>	III.	38	xxiv.	1846
<i>Actitis empusa</i>	VI.	35	xxxii.	1848
<i>Actiturus bartramius</i>	Suppl.	77	iv.	1867
<i>Ægotheles leucogaster</i>	II.	2	xvi.	1844

	Vol.	Plate.	Part.	Date.
<i>Ægotheles novæ-hollandiæ</i>	II.	1	i.	1840
<i>Alcyone azurea</i>	II.	25	xix.	1845
— <i>pusilla</i>	II.	26	xi.	1843
<i>Amadina castanotis</i>	III.	87	xiii.	1843
— <i>gouldiæ</i> (<i>Poëphila gouldiæ</i>)	III.	88	xv.	1844
— <i>lathamii</i>	III.	86	xiii.	1843
— <i>modesta</i> (<i>Estrelda modesta</i>)	III.	85	xxv.	1846
<i>Amytis macrourus</i>	III.	30	xxvi.	1847
— <i>striatus</i>	III.	29	iii.	1841
— <i>textilis</i>	III.	28	iii.	1841
<i>Anas nævosa</i>	VII.	10	v.	1841
— <i>punctata</i>	VII.	11	xix.	1845
— <i>superciliosa</i>	VII.	9	xix.	1845
<i>Anoüs cinereus</i>	VII.	37	xxxv.	1848
— <i>leucocapillus</i>	VII.	36	xxv.	1846
— <i>melanops</i>	VII.	35	xxii.	1846
— <i>stolidus</i>	VII.	34	xxii.	1846
<i>Anseranas melanoleuca</i> . . .	VII.	2	xxxii.	1848
<i>Anthochæra carunculata</i> . . .	IV.	55	xxvi.	1847
— <i>inauris</i>	IV.	54	xvi.	1844
— <i>lunulata</i>	IV.	57	xxiii.	1846
— <i>mellivora</i>	IV.	56	ii.	1841
<i>Anthus australis</i>	III.	73	xxvii.	1847
<i>Apelonis metallica</i>	Suppl.	33	i.	1851
<i>Aprosmictus erythropterus</i> . . .	V.	18	viii.	1842
— <i>scapulatus</i>	V.	17	viii.	1842
<i>Apteryx australis</i>	VI.	2	ii.	1841
— <i>owenii</i>	VI.	3	xxxiv.	1848
<i>Aquila fucosa</i>	I.	1	vii.	1842
— <i>morphnoïdes</i>	I.	2	vii.	1842
<i>Ardea leucophæa</i>	VI.	55	xxxvi.	1848
— <i>novæ-hollandiæ</i>	VI.	53	xxviii.	1847
— <i>pacifica</i>	VI.	52	xxvii.	1847
— <i>rectirostris</i>	VI.	54	xxxiii.	1848
<i>Ardetta flavigollis</i>	VI.	65	xxi.	1845
— <i>macrorhynchus</i>	VI.	66	xxxiv.	1848
— <i>pusilla</i>	VI.	68	xxx.	1848
— <i>stagnatilis</i>	VI.	67	xxxii.	1848
<i>Arses kaupi</i>	Suppl.	10	i.	1851
<i>Artamus albiventris</i>	II.	30	xxviii.	1847
— <i>cinereus</i>	II.	29	vi.	1842

		Vol.	Plate.	Part.	Date.
Artamus leucopygialis . . .	II.	33	vi.	1842	
— melanops	Suppl.	7	v.	1869	
— minor	II.	28	vi.	1842	
— personatus	II.	31	vi.	1842	
— sordidus	II.	27	vi.	1842	
— superciliosus	II.	32	vi.	1842	
Astur approximans	I.	17	viii.	1842	
— cruentus	I.	18	viii.	1842	
— novæ-hollandiae	I.	14	xii.	1843	
— — (albino)	I.	15	xii.	1843	
— radiatus	I.	16	xiii.	1843	
Athene boobook	I.	32	xviii.	1845	
— connivens	I.	34	xvii.	1844	
— maculata	I.	33	xviii.	1845	
— rufa	I.	36	xxiii.	1846	
— strenua	I.	35	xvii.	1844	
Atrichia clamosa	III.	34	xiv.	1844	
— rufescens	Suppl.	26	iv.	1867	
Attagen ariel	VII.	72	xxxv.	1848	
Atticora leucosternon	II.	12	ix.	1842	
Bernicla jubata	VII.	3	xxi.	1845	
Biziura lobata	VII.	18	xvi.	1844	
Botaurus australis	VI.	64	xxx.	1848	
Buteo melanosternon	I.	20	ix.	1842	
Cacatua eos	V.	4	xx.	1845	
— galerita	V.	1	x.	1843	
— leadbeaterii	V.	2	x.	1843	
— sanguinea	V.	3	x.	1843	
Cacomantis castaneiventris .	Suppl.	55	iv.	1867	
Calamanthus campestris . . .	III.	71	xvi.	1844	
— fuliginosus	III.	70	xvi.	1844	
Callocephalon galeatum . . .	V.	14	xxvi.	1847	
Calyptorhynchus banksii . . .	V.	7	xxv.	1846	
— baudinii	V.	13	xxiv.	1846	
— funereus	V.	11	xxiii.	1846	
— leachii	V.	10	xxvi.	1847	
— macrorhynchus	V.	8	xxvii.	1847	
— naso	V.	9	xxviii.	1847	
— xanthonotus	V.	12	xxix.	1847	
Campephaga humeralis	II.	63	xxxiv.	1848	
— jardini	II.	60	xxxiii.	1848	
— karu	II.	61	xxxii.	1848	
— leucomela	II.	62	xxxiv.	1848	

	Vol.	Plate.	Part.	Date.
<i>Caprimulgus macrurus</i> . . .	II.	9	xvii.	1844
<i>Carpophaga assimilis</i> . . .	Suppl.	67	ii.	1855
— <i>leucomela</i>	V.	59	xiii.	1843
— <i>luctuosa</i>	V.	60	xiii.	1843
— <i>magnifica</i>	V.	58	xxv.	1846
<i>Casarca tadornoïdes</i> . . .	VII.	7	xiv.	1844
<i>Casuarius australis</i> (<i>head and feet, natural size</i>) . . .	Suppl.	70	v.	1869
— — (<i>whole figure</i>) . . .	Suppl.	71	v.	1869
— <i>bennetti</i> (<i>two heads, natural size</i>) . . .	Suppl.	72	iii.	1859
— — (<i>whole figure</i>) . . .	Suppl.	73	iii.	1859
— <i>uniappendiculatus</i> (<i>two heads, natural size</i>) . . .	Suppl.	74	v.	1869
— — (<i>whole figure</i>) . . .	Suppl.	75	v.	1869
<i>Centropus phasianus</i> . . .	IV.	92	xxix.	1847
<i>Cereopsis novæ-hollandiae</i> .	VII.	1	xxviii.	1847
<i>Chalcites osculans</i>	IV.	88	xxix.	1847
<i>Chalcophaps chrysochlora</i> .	V.	62	xiii.	1843
<i>Charadrius veredus</i>	VI.	14	xxxiii.	1848
— <i>xanthocheilus</i>	VI.	13	xxxii.	1848
<i>Chlamydera maculata</i> . . .	IV.	8	iv.	1841
— <i>nuchalis</i>	IV.	9	iv.	1841
— <i>cerviniventris</i>	Suppl.	36	iii.	1859
— <i>guttata</i>	Suppl.	35	iv.	1867
<i>Chrysococcyx lucidus</i> . . .	IV.	89	xxix.	1847
— <i>minutillus</i>	Suppl.	56	iii.	1859
<i>Chthonicola minima</i>	III.	72	xxvii.	1847
<i>Cincloramphus cantillans</i> .	III.	75	xxviii.	1847
— <i>cruralis</i>	III.	74	xix.	1845
— <i>rufescens</i>	III.	76	xxvi.	1847
<i>Cinclosoma castaneothorax</i> .	Suppl.	32	ii.	1855
— <i>castanotus</i>	IV.	5	i.	1840
— <i>cinnamomeus</i>	IV.	6	xxv.	1846
— <i>punctatum</i>	IV.	4	i.	1840
<i>Circus assimilis</i>	I.	26	x.	1843
— <i>jardini</i>	I.	27	x.	1843
<i>Cladorhynchus pectoralis</i> .	VI.	26	iii.	1841
<i>Climacteris erythrops</i> . . .	IV.	95	iv.	1841
— <i>melanotus</i>	IV.	96	xxvii.	1847
— <i>melanura</i>	IV.	97	xiv.	1844
— <i>picumnus</i>	IV.	98	iv.	1841
— <i>rufa</i>	IV.	94	iv.	1841

	Vol.	Plate.	Part.	Date.
<i>Climacteris scandens</i> . . .	IV.	93	iv.	1841
<i>Collocalia arborea</i> . . .	II.	14	ix.	1842
— <i>ariel</i>	II.	15	ix.	1842
<i>Colluricincla brunnea</i> . . .	II.	76	xxxii.	1848
— <i>harmonica</i>	II.	74	xxiii.	1846
— <i>parvula</i>	II.	78	xxi.	1845
— <i>rufiventris</i>	II.	75	xxxii.	1848
— <i>selbii</i>	II.	77	xxxii.	1848
<i>Corcorax leucopterus</i> . . .	IV.	16	xxiv.	1846
<i>Corvus coronoïdes</i> . . .	IV.	18	xx.	1845
<i>Coturnix pectoralis</i> . . .	V.	88	xxv.	1846
<i>Cracticus argenteus</i> . . .	II.	51	xxxiii.	1848
— <i>destructor</i>	II.	52	xxxii.	1848
— <i>nigrogularis</i>	II.	49	xxii.	1846
— <i>picatus</i>	II.	50	xxxiv.	1848
— <i>quoyii</i>	II.	53	xxviii.	1847
<i>Cuculus cineraceus</i> . . .	IV.	86	xxix.	1847
— <i>inornatus</i>	IV.	85	xxv.	1846
— <i>insperatus</i>	IV.	87	xxv.	1846
— <i>optatus</i>	IV.	84	xxi.	1845
<i>Cyclopsitta coxeni</i> . . .	Suppl.	65	iv.	1867
<i>Cygnus atratus</i> . . .	VII.	6	xx.	1845
<i>Cypselus australis</i> . . .	II.	11	ix.	1842
<i>Cysticola exilis</i> . . .	III.	42	xxiv.	1846
— <i>isura</i>	III.	44	xxvi.	1847
— <i>lineocapilla</i>	III.	43	xxvii.	1847
— <i>magna</i>	III.	41	xxiv.	1846
— <i>ruficeps</i>	III.	45	xxvi.	1847
<i>Dacelo cervina</i> . . .	II.	20	xv.	1844
— <i>gigantea</i>	II.	18	xv.	1844
— <i>leachii</i>	II.	19	xxxii.	1848
<i>Daption capensis</i> . . .	VII.	53	xxix.	1847
<i>Dasyornis australis</i> . . .	III.	32	v.	1841
— <i>longirostris</i>	III.	33	v.	1841
<i>Dendrocygna arcuata</i> . . .	VII.	14	xxxiii.	1848
<i>Dicæum hirundinaceum</i> . .	II.	34	v.	1841
<i>Dicrurus bracteatus</i> . . .	II.	82	xx.	1845
<i>Diomedea brachyura</i> . . .	VII.	39	xxxvi.	1848
— <i>cauta</i>	VII.	40	xv.	1844
— <i>chlororhynchos</i> . . .	VII.	42	xv.	1844
— <i>culminata</i>	VII.	41	xxxiii.	1848
— <i>exulans</i>	VII.	38	xiv.	1844
— <i>fuliginosa</i>	VII.	44	xxxvi.	1848

	Vol.	Plate.	Part.	Date.
<i>Diomedia melanophrys</i> . . .	VII.	43	xiv.	1844
<i>Donacula castaneothorax</i> . . .	III.	94	vii.	1842
— <i>flaviprymnna</i> . . .	III.	96	xxiii.	1846
— <i>pectoralis</i> . . .	III.	95	vii.	1842
<i>Dromaius novæ-hollandiae</i> . . .	VI.	1	xxxiii.	1848
<i>Drymodes brunneopygia</i> . . .	III.	10	viii.	1842
— <i>superciliaris</i> . . .	Suppl.	16	i.	1851
<i>Elanus axillaris</i> . . .	I.	23	ix.	1842
— <i>scriptus</i> . . .	I.	24	ix.	1842
<i>Emblema picta</i> . . .	III.	97	vii.	1842
<i>Entomophila albogularis</i> . . .	IV.	51	xii.	1843
— <i>picta</i> . . .	IV.	50	xii.	1843
— <i>rufogularis</i> . . .	IV.	52	xii.	1843
<i>Entomyza albipennis</i> . . .	IV.	69	xvii.	1844
— <i>cyanotis</i> . . .	IV.	68	ii.	1841
<i>Eöpsaltria australis</i> . . .	III.	11	xiii.	1843
— <i>capito</i> . . .	Suppl.	17	ii.	1855
— <i>griseogularis</i> . . .	III.	12	xiii.	1843
— <i>leucogaster</i> . . .	III.	13	xxiii.	1846
— <i>leucura</i> . . .	Suppl.	18	v.	1869
<i>Ephythianura albifrons</i> . . .	III.	64	vi.	1842
— <i>aurifrons</i> . . .	III.	65	vii.	1842
— <i>tricolor</i> . . .	III.	66	vii.	1842
<i>Erismatura australis</i> . . .	VII.	17	xvi.	1844
<i>Erythrodryas rhodinogaster</i> . . .	III.	1	viii.	1842
— <i>rosea</i> . . .	III.	2	viii.	1842
<i>Erythrogonyx cinctus</i> . . .	VI.	21	iii.	1841
<i>Esacus magnirostris</i> . . .	VI.	9	xxi.	1845
<i>Estrelda annulosa</i> . . .	III.	81	v.	1841
— <i>bella</i> . . .	III.	78	xviii.	1845
— <i>bichenovii</i> . . .	III.	80	v.	1841
— <i>modesta</i> . . .	III.	85	xxv.	1846
— <i>oculea</i> . . .	III.	79	xviii.	1845
— <i>phaëton</i> . . .	III.	83	viii.	1842
— <i>ruficauda</i> . . .	III.	84	vii.	1842
— <i>temporalis</i> . . .	III.	82	vi.	1842
<i>Eudromias australis</i> . . .	VI.	15	xiii.	1843
<i>Eudynamys flindersii</i> . . .	IV.	91	xxx.	1848
<i>Eudyptes chrysocome</i> . . .	VII.	83	xxxii.	1848
<i>Eulabeornis castaneoventris</i> . . .	VI.	78	xvii.	1844
<i>Euphema aurantia</i> . . .	V.	39	ii.	1841
— <i>bourkii</i> . . .	V.	43	v.	1841
— <i>chrysostoma</i> . . .	V.	37	i.	1840

	Vol.	Plate.	Part.	Date.
<i>Euphema elegans</i>	V.	38	ii.	1841
— <i>petrophila</i>	V.	40	xiv.	1844
— <i>pulchella</i>	V.	41	xiv.	1844
— <i>splendida</i>	V.	42	ii.	1841
<i>Eurostopodus albogularis</i> .	II.	7	ix.	1842
— <i>guttatus</i>	II.	8	ix.	1842
<i>Eurystomus australis</i> . . .	II.	17	xii.	1843
<i>Falcinellus igneus</i>	VI.	47	xvii.	1844
<i>Falco frontatus</i>	I.	10	v.	1841
— <i>hypoleucus</i>	I.	7	v.	1841
— <i>melanogenys</i>	I.	8	v.	1841
— <i>subniger</i>	I.	9	xxxvi.	1848
<i>Falcunculus frontatus</i> . .	II.	79	v.	1841
— <i>leucogaster</i>	II.	80	v.	1841
<i>Fulica australis</i>	VI.	74	xxiv.	1846
<i>Gallinula ruficerissa</i> . . .	Suppl.	79	v.	1869
— <i>tenebrosa</i>	VI.	73	xxii.	1846
<i>Gelochelidon macrotarsa</i> .	Suppl	81	iii.	1859
<i>Geopelia cuneata</i>	V.	74	xviii.	1845
— <i>humeralis</i>	V.	72	xv.	1844
— <i>tranquilla</i>	V.	73	xix.	1845
<i>Geophaps plumifera</i>	V.	69	vii.	1842
— <i>scripta</i>	V.	67	vii.	1842
— <i>smithii</i>	V.	68	vii.	1842
<i>Geopsittacus occidentalis</i> .	Suppl.	66	iv.	1867
<i>Geronticus spinicollis</i> . . .	VI.	45	xvii.	1844
<i>Gerygone albogularis</i> . . .	II.	97	xxix.	1847
— <i>chloronotus</i>	II.	102	xx.	1845
— <i>culicivorus</i>	II.	99	xxix.	1847
— <i>fuscus</i>	II.	98	xxv.	1846
— <i>lævigaster</i>	II.	101	xxxiv.	1848
— <i>magnirostris</i>	II.	100	xxxii.	1848
— <i>personata</i>	Suppl.	14	iv.	1867
<i>Glareola grallaria</i>	VI.	22	xxiii.	1846
— <i>orientalis</i>	VI.	23	xxxv.	1848
<i>Glottis glottoïdes</i>	VI.	36	xvi.	1844
<i>Glyciphila albifrons</i>	IV.	29	x.	1843
— <i>fasciata</i>	IV.	30	x.	1843
— <i>fulvifrons</i>	IV.	28	x.	1843
— <i>ocularis</i>	IV.	31	xxiv.	1846
<i>Gnathodon strigirostris</i> . .	V.	76	xxii.	1846
<i>Grallina australis</i>	II.	54	xi.	1843
<i>Graucalus hypoleucus</i> . . .	II.	57	xxxiii.	1848

	Vol.	Plate.	Part.	Date.
Graucalus melanops . . .	II.	55	xix.	1845
— mentalis	II.	56	xxxii.	1848
— swainsonii	II.	58	xxiii.	1846
Grus australasianus . . .	VI.	48	xxx.	1848
Gygis candida	VII.	30	xxxv.	1848
Gymnorhina leuconota . .	II.	47	xvii.	1844
— organicum	II.	48	xxvii.	1847
— tibicen	II.	46	xvii.	1844
Hæmatopus fuliginosus . .	VI.	8	xviii.	1845
— longirostris	VI.	7	xviii.	1845
Halcyon flavirostris . . .	Suppl.	5	i.	1851
— macleayii	II.	24	xi.	1843
— pyrrhopygia	II.	22	i.	1840
— sanctus	II.	21	i.	1840
— sordidus	II.	23	xxxii.	1848
Haliaster leucosternus . .	I.	4	xi.	1843
— sphenurus	I.	5	xi.	1843
Hemipodius castanotus . .	V.	85	xiii.	1843
— melanogaster	V.	81	xxii.	1846
— melanotus	V.	84	xxi.	1845
— pyrrhothorax	V.	86	ii.	1841
— scintillans	V.	83	xxi.	1845
— varius	V.	82	xxi.	1845
— velox	V.	87	ii.	1841
Herodias greyi	VI.	61	xxxiii.	1848
— immaculata	VI.	58	xxv.	1846
— jugularis	VI.	60	xxxiii.	1848
— pannosus	VI.	59	xxxii.	1848
— picata	VI.	62	xxiv.	1846
— plumiferus	VI.	57	xxxii.	1848
— syrmatophorus	VI.	56	xxiv.	1846
Hiaticula bicornuta . . .	VI.	16	xix.	1845
— inornata	VI.	19	xxiv.	1846
— monacha	VI.	18	xxxiv.	1848
— nigrifrons	VI.	20	xix.	1845
— ruficapilla	VI.	17	xxiii.	1846
Himantopus leucocephalus .	VI.	24	iv.	1841
— novæ-zelandiæ . . .	VI.	25	iv.	1841
Hirundo neoxena	II.	13	ix.	1842
Hydrochelidon fluviatilis .	VII.	31	xxxiii.	1848
Hylacola cauta	III.	40	xiii.	1843
— pyrrhopygia	III.	39	xiii.	1843
Ichthyiaëtus leucogaster .	I.	3	ii.	1841

	Vol.	Plate.	Part.	Date.
Ieracidea berigora	I.	11	xv.	1844
— occidentalis	I.	12	xvi.	1844
Larus pacificus	VII.	19	xxviii.	1847
Lathamus discolor	V.	47	i.	1840
Leipoa ocellata	V.	78	i.	1840
Lepidogenys subcristatus .	I.	25	xiv.	1844
Leptotarsis eytoni	VII.	15	xx.	1845
Lestris catarractes	VII.	21	xxxv.	1848
Leucosarcia picata	V.	63	xiii.	1843
Licmetis nasicus	V.	5	xxvii.	1847
Limosa melanuroïdes	VI.	28	xxiv.	1846
— uropygialis	VI.	29	xxxiii.	1848
Lobivanellus lobatus	VI.	9	viii.	1842
— personatus	VI.	10	viii.	1842
Lopholaimus antarcticus .	V.	61	v.	1841
Lophophaps ferruginea . .	Suppl.	68	iv.	1867
— leucogaster	Suppl.	69	iv.	1867
Machærirhynchus flaviventer	Suppl.	11	i.	1851
Macropygia phasianella . .	V.	75	xvii.	1844
Malacorhynchus membrana-	VII.	13	xviii.	1845
Malurus amabilis . . [ceus	Suppl.	21	ii.	1855
— brownii	III.	27	iii.	1841
— callainus	Suppl.	23	iv.	1867
— coronatus	Suppl.	20	iii.	1859
— cyaneus	III.	18	iii.	1841
— elegans	III.	22	iii.	1841
— hypoleucus	Suppl.	22	iv.	1867
— lamberti	III.	24	iii.	1841
— leuconotus	Suppl.	24	iv.	1867
— leucopterus	III.	25	iii.	1841
— longicaudus	III.	19	iii.	1841
— melanocephalus	III.	26	iii.	1841
— melanotus	III.	20	iii.	1841
— pulcherrimus	III.	23	xx.	1845
— splendens	III.	21	iii.	1841
Manucodia keraudreni . .	Suppl.	9	ii.	1855
Megapodius tumulus	V.	79	vi.	1842
Melicophila picata	IV.	49	xv.	1844
Meliphaga australasiana .	IV.	27	i.	1840
— longirostris	IV.	24	xxv.	1846
— mystacalis	IV.	26	xxx.	1848
— novæ-hollandiæ	IV.	23	x.	1843
— sericea	IV.	25	x.	1843

	Vol.	Plate.	Part.	Date.
<i>Melithreptus albogularis</i> . . .	IV.	74	xxx.	1848
— <i>chloropsis</i>	IV.	73	xxx.	1848
— <i>gularis</i>	IV.	71	xx.	1845
— <i>lunulatus</i>	IV.	72	xxx.	1848
— <i>melanocephalus</i>	IV.	75	xix.	1845
— <i>validirostris</i>	IV.	70	xix.	1845
<i>Melopsittacus undulatus</i> . . .	V.	44	i.	1840
<i>Menura alberti</i>	Suppl.	19	i.	1851
— <i>superba</i>	III.	14	iii.	1841
<i>Merops ornatus</i>	II.	16	vii.	1842
<i>Merula poliocephala</i>	Suppl.	30	iii.	1859
— <i>vinitincta</i>	Suppl.	31	ii.	1855
<i>Microeca flavigaster</i>	II.	94	xxi.	1845
— <i>macroptera</i>	II.	93	xxxii.	1848
<i>Microglossus aterrimus</i>	Suppl.	61	i.	1851
<i>Milvus affinis</i>	I.	21	viii.	1842
— <i>isurus</i>	I.	22	ii.	1841
<i>Mirafra horsfieldii</i>	III.	77	xxvii.	1847
<i>Monarcha albiventris</i>	Suppl.	13	v.	1869
— <i>carinata</i>	II.	95	xxv.	1846
— <i>leucotis</i>	Suppl.	12	i.	1851
— <i>trivirgata</i>	II.	96	xxxiii.	1848
<i>Mycteria australis</i>	VI.	51	xxviii.	1847
<i>Myiagra concinna</i>	II.	90	xxxii.	1848
— <i>latirostris</i>	II.	92	xxxii.	1848
— <i>nitida</i>	II.	91	xxxii.	1848
— <i>plumbea</i>	II.	89	xxiiii.	1846
<i>Myzantha flavigula</i>	VI.	79	xxx.	1848
— <i>garrula</i>	VI.	76	xv.	1844
— <i>lutea</i>	VI.	78	xv.	1844
— <i>melanophrys</i>	VI.	80	xxii.	1846
— <i>obscura</i>	VI.	77	xv.	1844
<i>Myzomela erythrocephala</i> . . .	IV.	64	xi.	1843
— <i>nigra</i>	IV.	66	iv.	1841
— <i>obscura</i>	IV.	67	xxi.	1845
— <i>pectoralis</i>	IV.	65	xii.	1843
— <i>sanguineolenta</i>	IV.	63	xi.	1843
<i>Nectarinia australis</i>	Suppl.	45	i.	1851
<i>Neomorpha gouldii</i>	IV.	19	iii.	1841
<i>Nestor esslingii</i>	Suppl.	59	iii.	1859
— <i>hypopolius</i>	Suppl.	58	iii.	1859
— <i>notabilis</i>	Suppl.	60	iii.	1859
— <i>productus</i>	V.	6	v.	1841

	Vol.	Plate.	Part.	Date.
<i>Nettapus coromandelianus</i> .	VII.	5	vi.	1842
— <i>pulchellus</i>	VII.	4	vi.	1842
<i>Notornis mantelli</i>	Suppl.	76	i.	1851
<i>Numenius australis</i>	VI.	42	xxxiv.	1848
— <i>minutus</i>	VI.	44	xxxii.	1848
— <i>uropygialis</i>	VI.	43	xxxii.	1848
<i>Nycticorax caledonicus</i> .	VI.	63	xxiv.	1846
<i>Nymphicus novæ-hollandiæ</i> .	V.	45	vii.	1842
<i>Nyroca australis</i>	VII.	16	xxvii.	1847
<i>Ocyphaps lophotes</i>	V.	70	xiii.	1843
<i>Qædienemus grallarius</i>	VI.	5	xxi.	1845
<i>Onychoprion fuliginosus</i> .	VII.	32	xxviii.	1847
— <i>panaya</i>	VII.	33	xxxv.	1848
<i>Oreocinela lunulata</i>	IV.	7	xxx.	1848
<i>Oreoïca gutturalis</i>	II.	81	xii.	1843
<i>Origma rubricata</i>	III.	69	xxiii.	1846
<i>Oriolus flavocinctus</i>	IV.	14	xxx.	1848
— <i>viridis</i>	IV.	13	xxi.	1845
<i>Orthonyx spaldingi</i>	Suppl.	53	v.	1869
— <i>spinicaudus</i>	IV.	99	xxx.	1848
<i>Otis australasianus</i>	VI.	4	viii.	1842
<i>Pachycephala falcata</i>	II.	68	xxxii.	1848
— <i>gilbertii</i>	II.	71	xviii.	1845
— <i>glaucura</i>	II.	65	xviii.	1845
— <i>gutturalis</i>	II.	64	xxxii.	1848
— <i>lanoïdes</i>	II.	69	xvii.	1844
— <i>melanura</i>	II.	66	xxxii.	1848
— <i>olivacea</i>	II.	73	xxii.	1846
— <i>pectoralis</i>	II.	67	iv.	1841
— <i>rufogularis</i>	II.	70	xviii.	1845
— <i>simplex</i>	II.	72	xxxii.	1848
<i>Pandion leucocephalus</i>	I.	6	xiii.	1843
<i>Pardalotus affinis</i>	II.	39	i.	1840
— <i>melanocephalus</i>	II.	40	xxiii.	1846
— <i>punetatus</i>	II.	35	xv.	1844
— <i>quadragintus</i>	II.	37	xii.	1843
— <i>rubricatus</i>	II.	36	xxiii.	1846
— <i>striatus</i>	II.	38	xv.	1844
— <i>uropygialis</i>	II.	41	i.	1840
— <i>xanthopygius</i>	Suppl.	8	iv.	1867
<i>Parra gallinacea</i>	VI.	75	x.	1843
<i>Pedionomus torquatus</i>	V.	80	i.	1840
<i>Pelecanus conspicillatus</i> . . .	VII.	74	xxix.	1847

	Vol.	Plate.	Part.	Date.
<i>Peristèra chalcoptera</i> . . .	V.	64	xiii.	1843
— <i>elegans</i>	V.	65	xiii.	1843
— <i>histrionica</i>	V.	66	ii.	1841
<i>Petroica bicolor</i>	III.	7	viii.	1842
— <i>cerviniventris</i>	Suppl.	15	iii.	1859
— <i>erythrogaster</i>	III.	4	xxvii.	1847
— <i>fusca</i>	III.	8	viii.	1842
— <i>goodenovii</i>	III.	5	viii.	1842
— <i>multicolor</i>	III.	3	viii.	1842
— <i>phœnicea</i>	III.	6	viii.	1842
— <i>superciliosa</i>	III.	9	xxvi.	1847
<i>Petrophassa albipennis</i> . . .	V.	71	x.	1843
<i>Pezoporus formosus</i> . . .	V.	46	xviii.	1845
<i>Phaëton phœnicurus</i> . . .	VII.	73	xxxv.	1848
<i>Phalacrocorax carboïdes</i> . .	VII.	66	xxxiv.	1848
— <i>hypoleucus</i>	VII.	68	xi.	1843
— <i>leucogaster</i>	VII.	69	xi.	1843
— <i>melanoleucus</i>	VII.	70	xii.	1843
— <i>punctatus</i>	VII.	71	v.	1841
— <i>sulcirostris</i>	VII.	67	xxxv.	1848
<i>Piezorhynchus nitidus</i> . . .	II.	88	xiv.	1844
<i>Pitta iris</i>	IV.	3	vi.	1842
— <i>mackloti</i>	Suppl.	29	v.	1869
— <i>strepitans</i>	IV.	1	vi.	1842
— <i>vigorsii</i>	IV.	2	ii.	1841
<i>Platalea flavipes</i>	VI.	49	vii.	1842
— <i>regia</i>	VI.	50	vii.	1842
<i>Platycercus adelaidiæ</i> . . .	V.	22	iv.	1841
— <i>barnardii</i>	V.	21	xi.	1843
— <i>bauerii</i>	V.	20	xi.	1843
— <i>brownii</i>	V.	31	xvi.	1844
— <i>cyanogenys</i>	Suppl.	63	ii.	1855
— <i>eximus</i>	V.	27	xxii.	1846
— <i>flaveolus</i>	V.	25	iv.	1841
— <i>flaviventris</i>	V.	24	xx.	1845
— <i>icterotis</i>	V.	29	xviii.	1845
— <i>ignitus</i>	V.	30	xxix.	1847
— <i>palliceps</i>	V.	26	v.	1841
— <i>pennantii</i>	V.	23	xxvi.	1847
— <i>pileatus</i>	V.	32	xix.	1845
— <i>semitorquatus</i>	V.	19	xi.	1843
— <i>splendidus</i>	V.	28	xxvii.	1847
<i>Plectorhyncha lanceolata</i> . .	IV.	47	iv.	1841

	Vol.	Plate.	Part.	Date.
<i>Plotus novæ-hollandiae</i> . . .	VII.	75	xxviii.	1847
<i>Podargus cuvieri</i>	II.	4	xxvi.	1847
— <i>humeralis</i>	II.	3	i.	1840
— <i>marmoratus</i>	Suppl.	4	ii.	1855
— <i>papuensis</i>	Suppl.	3	ii.	1855
— <i>phalænoïdes</i>	II.	5	xiv.	1844
— <i>plumiferus</i>	II.	6	xxv.	1846
<i>Podiceps australis</i>	VII.	80	xvii.	1844
— <i>gularis</i>	VII.	81	xii.	1843
— <i>poliocephalus</i>	VII.	82	xii.	1843
<i>Poëphila acuticauda</i>	III.	90	vi.	1842
— <i>cincta</i>	III.	93	vi.	1842
— <i>gouldiae</i>	III.	88	xv.	1844
— <i>leucotis</i>	III.	92	xxvi.	1847
— <i>mirabilis</i>	III.	89	xxviii.	1847
— <i>personata</i>	III.	91	vi.	1842
<i>Polytelis alexandrae</i>	Suppl.	62	iv.	1867
— <i>barrabandii</i>	V.	15	xviii.	1845
— <i>melanura</i>	V.	16	xviii.	1845
<i>Pomatorhinus rubeculus</i> . . .	IV.	21	xvi.	1844
— <i>ruficeps</i>	Suppl.	38	ii.	1855
— <i>superciliosus</i>	IV.	22	xvi.	1844
— <i>temporalis</i>	IV.	20	xxx.	1848
<i>Porphyrio bellus</i>	VI.	70	v.	1841
— <i>melanotus</i>	VI.	69	xxx.	1848
<i>Porzana fluminea</i>	VI.	79	x.	1843
— <i>immaculata</i>	VI.	82	xxiv.	1846
— <i>leucophrys</i>	VI.	81	xxviii.	1847
— <i>palustris</i>	VI.	80	x.	1843
<i>Prion turtur</i>	VII.	54	xvi.	1844
— <i>vittatus</i>	VII.	55	xvi.	1844
<i>Procellaria cœrulea</i>	VII.	52	xxix.	1847
— <i>conspicillata</i>	VII.	46	xxxv.	1848
— <i>cookii</i>	VII.	51	xxv.	1846
— <i>gigantea</i>	VII.	45	xxxvi.	1848
— <i>glacialoïdes</i>	VII.	48	xxxv.	1848
— <i>hasitata</i>	VII.	47	xxxv.	1848
— <i>lessonii</i>	VII.	49	xxxv.	1848
— <i>mollis</i>	VII.	50	xxxv.	1848
<i>Psephotus chrysoterygius</i> . . .	Suppl.	64	iii.	1859
— <i>haematogaster</i>	V.	33	xxix.	1847
— <i>haematonotus</i>	V.	36	xix.	1845
— <i>multicolor</i>	V.	35	xxviii.	1847

	Vol.	Plate.	Part.	Date.
<i>Psephotus pulcherrimus</i> . . .	V.	34	xxii.	1846
<i>Psophodes crepitans</i> . . .	III.	15	iii.	1841
— <i>nigrogularis</i> . . .	III.	16	xv.	1844
<i>Pteropodocys phasianella</i> . . .	II.	59	xxv.	1846
<i>Ptilinopus ewingii</i> . . .	V.	56	vii.	1842
— <i>superbus</i> . . .	V.	51	xiv.	1844
— <i>swainsonii</i> . . .	V.	55	vii.	1842
<i>Ptilonorhynchus holosericeus</i>	IV.	10	iv.	1841
— <i>rawnsleyi</i> . . .	Suppl.	34	v.	1869
— <i>smithii</i> . . .	IV.	11	xxi.	1845
<i>Ptiloris magnifica</i> . . .	Suppl.	51	i.	1851
— <i>paradiseus</i> . . .	IV.	100	xxvii.	1847
— <i>victoriae</i> . . .	Suppl.	50	i.	1851
<i>Ptilotis auricomis</i> . . .	IV.	37	xvii.	1844
— <i>cassidix</i> . . .	Suppl.	39	iv.	1867
— <i>chrysops</i> . . .	IV.	45	xix.	1845
— <i>chrysotis</i> . . .	IV.	32	xxii.	1846
— <i>cockerelli</i> . . .	Suppl.	43	v.	1869
— <i>cratitius</i> . . .	IV.	38	xvi.	1844
— <i>fasciogularis</i> . . .	Suppl.	40	ii.	1855
— <i>filigera</i> . . .	Suppl.	42	i.	1851
— <i>flava</i> . . .	IV.	42	xxi.	1845
— <i>flavescens</i> . . .	IV.	41	xx.	1845
— <i>flavigula</i> . . .	IV.	35	xxx.	1848
— <i>fusca</i> . . .	IV.	44	iv.	1841
— <i>leucotis</i> . . .	IV.	36	xxv.	1846
— <i>notata</i> . . .	Suppl.	41	v.	1869
— <i>ornatus</i> . . .	IV.	39	ii.	1841
— <i>penicillatus</i> . . .	IV.	43	xviii.	1845
— <i>plumulus</i> . . .	IV.	40	ii.	1841
— <i>sonorus</i> . . .	IV.	33	xx.	1845
— <i>unicolor</i> . . .	IV.	46	xxii.	1846
— <i>versicolor</i> . . .	IV.	34	xx.	1845
<i>Puffinuria urinatrix</i> . . .	VII.	60	xv.	1844
<i>Puffinus assimilis</i> . . .	VII.	59	xxxv.	1848
— <i>brevicaudus</i> . . .	VII.	56	xxviii.	1847
— <i>carneipes</i> . . .	VII.	57	xxxv.	1848
— <i>sphenurus</i> . . .	VII.	58	xxxiv.	1848
<i>Pycnoptilus floccosus</i> . . .	Suppl.	27	i.	1851
<i>Pyrrholæmus brunneus</i> . . .	III.	68	xvii.	1844
<i>Rallina tricolor</i> . . .	Suppl.	78	v.	1869
<i>Rallus lewinii</i> . . .	VI.	77	xxxiii.	1848
— <i>pectoralis</i> . . .	VI.	76	xxiv.	1846

		Vol.	Plate.	Part.	Date.
Recurvirostris rubricollis . . .		VI.	27	ix.	1842
Rhipidura albiscapa . . .		II.	83	i.	1840
— isura		II.	85	xxix.	1847
— motacilloïdes . . .		II.	86	xxxii.	1848
— rufifrons		II.	84	xxiii.	1846
Rhynchæa australis . . .		VI.	41	ix.	1842
Sarciphorus pectoralis . . .		VI.	11	ix.	1842
Sceloglaux albifacies . . .	Suppl.	2		ii.	1855
Scheniculus albescens . . .	VI.	31		xxxii.	1848
— australis	VI.	30		xxviii.	1847
— magnus	VI.	33		xxxiv.	1848
— subarquatus	VI.	32		xxxiii.	1848
Scolopax australis	VI.	40		xxxii.	1848
Scythrops novæ-hollandiae . .	IV.	90		xxix.	1847
Seisura inquieta	IV.	87		xxxii.	1848
Semioptera wallacei . . .	Suppl.	52		iii.	1859
Sericornis citreogularis . . .	III.	46		xiv.	1844
— frontalis	III.	49		xxi.	1845
— humilis	III.	47		xix.	1845
— laevigaster	III.	50		xxvii.	1847
— maculatus	III.	51		xxvii.	1847
— magnirostris	III.	52		xx.	1845
— osculans	III.	48		xxvii.	1847
Sericulus chryscephalus . . .	IV.	12		xxvi.	1847
Sittella chrysoptera . . .	IV.	101		xiv.	1844
— leucocephala	IV.	102		xxx.	1848
— leucoptera	IV.	103		xiv.	1844
— pileata	IV.	104		xiv.	1844
— striata	Suppl.	54		v.	1869
Smicrornis brevirostris . . .	II.	103		xxxiv.	1848
— flavescens	II.	104		xxi.	1845
Spatula rhynchos . . .	VII.	12		xx.	1845
— variegata	Suppl.	80		iii.	1859
Sphecotheres australis . . .	IV.	15		xxx.	1848
— flaviventris	Suppl.	37		i.	1851
Spheniscus minor	VII.	84		xvi.	1844
— undina	VII.	85		xxxiii.	1848
Sphenœacus galactotes . . .	III.	35		xxvi.	1847
— gramineus	III.	36		xix.	1845
Sphenostoma cristata . . .	III.	17		iii.	1841
Sphenura broadbenti . . .	Suppl.	25		iv.	1867
Squatarola helvetica . . .	VI.	12		xxxv.	1848
Sterna gracilis	VII.	27		xxxii.	1848

	Vol.	Plate.	Part.	Date.
<i>Sterna melanuchen</i> . . .	VII.	28	xxiiii.	1846
— <i>melanorhyncha</i> . . .	VII.	26	xxxvi.	1848
<i>Sternula nereis</i>	VII.	29	xiv.	1844
<i>Stipiturus malachurus</i> . .	III.	31	iii.	1841
<i>Strepera anaphonensis</i> . .	II.	45	xxxiii.	1848
— <i>arguta</i>	II.	44	xxv.	1846
— <i>fuliginosa</i>	II.	43	xxxii.	1848
— <i>graculina</i>	II.	42	xv.	1844
<i>Strepsilas interpres</i> . . .	VI.	39	xxxiv.	1848
<i>Stringops habroptilus</i> . .	Suppl.	57	ii.	1855
<i>Strix candida</i>	Suppl.	1	v.	1869
— <i>castanops</i>	I.	28	xix.	1845
— <i>delicatulus</i>	I.	31	xxii.	1846
— <i>personata</i>	I.	29	xix.	1845
— <i>tenebriosus</i>	I.	30	xxxv.	1848
<i>Struthidea cinerea</i> . . .	IV.	17	x.	1843
<i>Sula australis</i>	VII.	76	xxiv.	1846
— <i>fusca</i>	VII.	78	xxiii.	1846
— <i>personata</i>	VII.	77	xxiii.	1846
— <i>piscator</i>	VII.	79	xxiv.	1846
<i>Sylochelidon strenuus</i> . .	VII.	22	xxii.	1846
<i>Synoicus australis</i> . . .	V.	89	xii.	1843
— <i>chinensis</i>	V.	92	xii.	1843
— <i>diemenensis</i>	V.	90	xxvi.	1847
— <i>sordidus</i>	V.	91	xxix.	1847
<i>Tadorna radjah</i>	VII.	8	xiv.	1844
<i>Talegalla lathamii</i> . . .	V.	77	i.	1840
<i>Tanysiptera sylvia</i> . . .	Suppl.	6	i.	1851
<i>Terekia cinerea</i>	VI.	34	xxxiv.	1848
<i>Thalasseus pelecanoides</i> . .	VII.	23	xxxiv.	1848
— <i>poliocercus</i>	VII.	24	xxxiv.	1848
— <i>torresii</i>	VII.	25	xxxvi.	1848
<i>Thalassidroma leucogaster</i> .	VII.	63	xxvi.	1847
— <i>marina</i>	VII.	61	xviii.	1845
— <i>melanogaster</i>	VII.	62	xxvi.	1847
— <i>nereis</i>	VII.	64	xx.	1845
— <i>wilsoni</i>	VII.	65	xxii.	1846
<i>Threskiornis strictipennis</i> .	VI.	46	xvii.	1844
<i>Tinnunculus cenchroides</i> .	I.	13	x.	1843
<i>Totanus griseopygius</i> . . .	VI.	38	xxxiii.	1848
— <i>stagnatilis</i>	VI.	37	xxxiv.	1848
<i>Tribonyx mortieri</i>	VI.	71	xxxii.	1848
— <i>ventralis</i>	VI.	72	xx.	1845

	Vol.	Plate.	Part.	Date.
<i>Trichoglossus chlorolepidotus</i>	V.	50	x.	1843
— <i>concinnus</i>	V.	52	xiii.	1843
— <i>porphyrocephalus</i> . .	V.	53	i.	1840
— <i>pusillus</i>	V.	54	xiii.	1843
— <i>rubritorquis</i>	V.	49	ix.	1842
— <i>swainsonii</i>	V.	48	ix.	1842
— <i>versicolor</i>	V.	51	ix.	1842
<i>Tropidorhynchus argenticeps</i>	IV.	59	ii.	1841
— <i>buceroïdes</i>	Suppl.	44	ii.	1855
— <i>citreogularis</i>	IV.	60	xxix.	1847
— <i>corniculatus</i>	IV.	58	ii.	1841
<i>Xema jamesonii</i>	VII.	20	xxxvi.	1848
<i>Xerophila leucopsis</i>	III.	67	xv.	1844
<i>Zanthomyza phrygia</i>	IV.	48	xii.	1843
<i>Zosterops albogularis</i>	Suppl.	46	iii.	1859
— <i>chloronotus</i>	IV.	82	xi.	1843
— <i>dorsalis</i>	IV.	81	xi.	1843
— <i>luteus</i>	IV.	83	xi.	1843
— <i>strenuus</i>	Suppl.	48	ii.	1855
— <i>tenuirostris</i>	Suppl.	47	iii.	1859
— <i>tephropleurus</i>	Suppl.	49	ii.	1855

A Monograph of the Trochilidæ, or Humming-Birds.

Dedicated with permission to HER ROYAL HIGHNESS, THE PRINCESS ROYAL OF ENGLAND. By JOHN GOULD, F.R.S. &c. 5 Vols. Folio. London, 1861.

[Published in 25 Parts, 1849-61. Part XXV. (September 1861) contains :—Titles for Five Volumes ; Dedication ; List of Subscribers ; Preface ; Introduction ; Explanation of the Abbreviations and List of Authors and Works referred to ; List of Generic and Specific Names adopted ; Index of Generic Names adopted ; List of Specific Names of Humming-Birds ; Lists of Plates for Five Volumes.

Supplement to the Trochilidæ, or Humming-Birds.

Parts I.-IV. Folio. London, 1880-85.

[Not yet completed ; the text continued by R. BOWDLER SHARPE.]

	Vol.	Plate.	Part.	Date.
<i>Adelomyia castaneiventris</i> . .	III.	203	x.	1855
— <i>cervina</i>	Suppl.	Not fig ^d	iv.	1885
— <i>chlorospila</i>	Suppl.	Not fig ^d	iv.	1885
— <i>floriceps</i>	III.	202	ix.	1855
— <i>inornata</i>	III.	197	xi.	1856
— <i>maculata</i>	III.	199	xxiv.	1861
— <i>melanogenys</i>	III.	198	ix.	1855
<i>Aglaeactis castelneauii</i>	III.	180	xiii.	1857
— <i>caumatonota</i>	Suppl.		i.	1880
— <i>cupreipennis</i>	III.	179	xii.	1856
— <i>pamela</i>	III.	181	xii.	1856
<i>Agyrtria apicalis</i>	Suppl.	Not fig ^d	iv.	1885
— <i>bartletti</i>	Suppl.		iv.	1885
— <i>cæruleiceps</i>	Suppl.	Not fig ^d	iv.	1885
— <i>compsa</i>	Suppl.	Not fig ^d	iv.	1885
— <i>fluvialis</i>	Suppl.		iv.	1885
— <i>luciae</i>	Suppl.	Not fig ^d	iv.	1885

	Vol.	Plate.	Part.	Date.
<i>Agyrtia maculicauda</i> . . .	Suppl.	Not fig ^d	iv.	1885
— <i>neglecta</i>	Suppl.	Not fig ^d	iv.	1885
— <i>nigricauda</i>	Suppl.	Not fig ^d	iv.	1885
— <i>nitidicauda</i>	Suppl.	Not fig ^d	iv.	1885
— <i>taczanowskii</i>	Suppl.		iv.	1885
<i>Amazilia alticola</i>	V.	304	xxiii.	1861
— <i>beryllina</i>	V.	312	xxii.	1861
— <i>castaneiventris</i>	V.	310	xxiii.	1861
— <i>cerviniventris</i>	V.	309	xiii.	1857
— <i>corallirostris</i>	V.	307	xiii.	1857
— <i>cyanura</i>	V.	315	xviii.	1859
— <i>devillei</i>	V.	313	xix.	1860
— <i>dumerili</i>	V.	305	xviii.	1859
— <i>leucophæa</i>	V.	306	xviii.	1859
— <i>ocai</i>	V.	289	xxii.	1861
— <i>pristina</i>	V.	303	xiii.	1857
— <i>riefferi</i>	V.	311	xix.	1860
— <i>viridigaster</i>	V.	314	xx.	1860
— <i>yucatanensis</i>	V.	308	xxiii.	1861
<i>Androdon aequatorialis</i> . . .	Suppl.		ii.	1881
<i>Aphantochroa cirrhochloris</i> .	II.	54	vi.	1853
— <i>gularis</i>	II.	55	xxi.	1861
— <i>hyposticta</i>	Suppl.		iii.	1883
<i>Arinia boucardi</i>	Suppl.	Not fig ^d	iv.	1885
<i>Atthis ellioti</i>	Suppl.	Not fig ^d	iii.	1883
<i>Augastes lumachellus</i> . . .	IV.	222	i.	1849
— <i>scutatus</i>	IV.	221	i.	1849
<i>Avocettinus eurypterus</i> . .	III.	200	xi.	1856
<i>Avocettula recurvirostris</i> . .	III.	201	xi.	1856
<i>Bourcieria conradi</i>	IV.	253	xviii.	1859
— <i>fulgidigula</i>	IV.	252	vii.	1854
— <i>incea</i>	IV.	254	vii.	1854
— <i>torquata</i>	IV.	251	vii.	1854
<i>Calliphlox amethystina</i> . . .	III.	159	xii.	1856
— <i>mitchelli</i>	III.	160	xix.	1860
<i>Calothorax calliope</i>	III.	142	xiv.	1857
— <i>cyanopogon</i>	III.	143	xiv.	1857
— <i>decoratus</i>	III.	146	xxiv.	1861
— <i>fanny</i>	III.	151	xii.	1856
— <i>heliodori</i>	III.	147	ii.	1851
— <i>jordani</i>	III.	150	xxi.	1861
— <i>micrurus</i>	III.	148	vii.	1854
— <i>mulsanti</i>	III.	145	ii.	1851

	Vol.	Plate.	Part.	Date.
<i>Calothorax pulchra</i> . . .	III.	144	xix.	1860
— <i>rosæ</i>	III.	149	xiv.	1857
— <i>yarrelli</i>	III.	152	iii.	1852
<i>Calypte annæ</i>	III.	135	xi.	1856
— <i>costæ</i>	III.	134	xi.	1856
— <i>helenæ</i>	III.	136	xi.	1856
<i>Campylopterus cuvieri</i> . .	II.	52	xii.	1856
— <i>delattrei</i>	II.	45	x.	1855
— <i>ensipennis</i>	II.	46	xiv.	1857
— <i>hyperrythrus</i>	II.	51	iii.	1852
— <i>latipennis</i>	II.	48	xix.	1860
— <i>lazulus</i>	II.	44	xii.	1856
— <i>obscurus</i>	II.	49	xix.	1860
— <i>pampa</i>	II.	43	x.	1855
— <i>phainopeplus</i>	Suppl.		iv.	1885
— <i>roberti</i>	II.	53	xxiii.	1861
— <i>rufus</i>	II.	50	iii.	1852
— <i>villavicencio</i>	II.	47	xvii.	1859
<i>Cephalepis delalandi</i> . . .	IV.	208	viii.	1854
— <i>loddigesii</i>	IV.	209	viii.	1854
<i>Chætocercus bombus</i> . . .	Suppl.		ii.	1881
<i>Chalybura isauræ</i>	Suppl.	Not fig ^d	iv.	1885
<i>Chlorostilbon aliciae</i> . . .	V.	357	xx.	1860
— <i>atala</i>	V.	356	xx.	1860
— <i>augustipennis</i>	V.	353	xxi.	1861
— <i>auriceps</i>	V.	350	xiii.	1857
— <i>caniveti</i>	V.	351	xix.	1860
— <i>osberti</i>	V.	352	xxii.	1861
— <i>phaëthon</i>	V.	354	xxii.	1861
— <i>poortmanni</i>	V.	358	xx.	1860
— <i>prasinus</i>	V.	355	v.	1853
<i>Chrysobronchus virescens</i> .	IV.	230	xvi.	1858
— <i>viridicaudus</i>	IV.	231	xvi.	1858
<i>Chrysolampis moschitus</i> .	IV.	204	xii.	1856
<i>Chrysuronia chrysura</i> . .	V.	329	xix.	1860
— <i>eliciæ</i>	V.	328	xvi.	1858
— <i>humboldti</i>	V.	327	xvii.	1859
— <i>josephinæ</i>	V.	326	xvii.	1859
— <i>œnone</i>	V.	325	xvii.	1859
<i>Circe doubledayi</i>	V.	339	xx.	1860
— <i>latirostris</i>	V.	338	xiii.	1857
<i>Clytolæma aurescens</i> . . .	IV.	250	xxi.	1861
— <i>rubinea</i>	IV.	249	vi.	1853

		Vol.	Plate.	Part.	Date.
<i>Cœligena hemileuca</i>	...	Suppl.		iv.	1885
— <i>prunelli</i>	...	IV.	257	xiv.	1857
— <i>purpurea</i>	...	IV.	256	viii.	1854
— <i>typica</i>	...	IV.	255	viii.	1854
— <i>wilsoni</i>	...	IV.	258	xi.	1856
<i>Cometes caroli</i>	...	III.	177	xxii.	1861
— <i>glyceria</i>	...	III.	176	xv.	1858
— <i>phaon</i>	...	III.	175	iv.	1852
— <i>sparganurus</i>	...	III.	174	iv.	1852
<i>Cyanomyia cyanocephala</i>	...	V.	286	xi.	1856
— <i>cyanocollis</i>	...	V.	288	xx.	1860
— <i>franciae</i>	...	V.	287	xx.	1860
— <i>quadricolor</i>	...	V.	284	ix.	1855
— <i>violiceps</i>	...	V.	285	xx.	1860
<i>Cynanthus boliviensis</i>	...	Suppl.		i.	1880
— <i>cyanurus</i>	...	III.	172	iii.	1852
— <i>smaragdicaudus</i>	...	III.	173	iii.	1852
<i>Damophila amabilis</i>	...	V.	341	xviii.	1859
<i>Delattria clemenciae</i>	...	II.	60	ix.	1855
— <i>henrica</i>	...	II.	62	viii.	1854
— <i>viridipallens</i>	...	II.	63	ix.	1855
<i>Diphlogæna aurora</i>	...	IV.	248	xxiii.	1861
—	...	Suppl.		iv.	1885
— <i>hesperus</i>	...	Suppl.		iv.	1885
— <i>iris</i>	...	IV.	247	viii.	1854
<i>Discura longicauda</i>	...	III.	126	xvi.	1858
<i>Docimastes ensiferus</i>	...	IV.	233	i.	1849
<i>Doricha bryantæ</i>	...	Suppl.		ii.	1881
— <i>lyrura</i>	...	Suppl.		ii.	1881
<i>Dorifera euphrasinae</i>	...	Suppl.	Not fig ^d	iii.	1883
— <i>johannæ</i>	...	II.	87	vi.	1853
— <i>ludoviciae</i>	...	II.	88	vi.	1853
— <i>rectirostris</i>	...	Suppl.	Not fig ^d	iii.	1883
— <i>veraguensis</i>	...	Suppl.		iii.	1883
<i>Elvira cupreiceps</i>	...	Suppl.		i.	1880
<i>Eriocnemis alinæ</i>	...	IV.	280	xvii.	1859
— <i>assimilis</i>	...	Suppl.	Not fig ^d	iii.	1883
— <i>aureliae</i>	...	IV.	283	x.	1855
— <i>chrysorama</i>	...	Suppl.	Not fig ^d	iii.	1883
— <i>cupreiventris</i>	...	IV.	270	vi.	1853
— <i>derbianus</i>	...	IV.	279	xv.	1858
— <i>d'orbignyi</i>	...	IV.	278	xxiii.	1861
— <i>dyselius</i>	...	Suppl.	Not fig ^d	iii.	1883

	Vol.	Plate.	Part.	Date.
<i>Eriocnemis godini</i>	IV.	277	xxii.	1861
— <i>isaacsoni</i>	IV.	272	xv.	1858
— <i>luciani</i>	IV.	273	vi.	1853
— <i>lugens</i>	IV.	282	viii.	1854
— <i>mosquera</i>	IV.	274	vi.	1853
— <i>nigrivestis</i>	IV.	276	xv.	1858
— <i>sapphiropygia</i>	Suppl.		iii.	1883
— <i>simplex</i>	IV.	271	iii.	1852
— <i>smaragdinipectus</i> . . .	Suppl.	Not fig ^a	iii.	1883
— <i>squamata</i>	IV.	281	xxi.	1861
— <i>vestita</i>	IV.	275	xvii.	1859
<i>Erythronota antiqua</i>	V.	316	xix.	1860
— <i>edwardi</i>	V.	318	xxv.	1858
— <i>elegans</i>	V.	320	xxiv.	1861
— <i>felicie</i>	V.	317	xxiv.	1861
— <i>niveiventris</i>	V.	219	xxv.	1858
— <i>saucerottei</i>	V.	321	xxiii.	1861
— <i>sophiae</i>	V.	322	xxii.	1861
<i>Eucephala cærulea</i>	V.	335	xiv.	1857
— <i>cæruleo-lavata</i>	V.	333	xxii.	1861
— <i>chlorocephala</i>	V.	332	xxii.	1861
— <i>cyanogenys</i>	Suppl.	Not fig ^a	iii.	1883
— <i>grayi</i>	V.	330	xiv.	1857
— <i>hypocyanea</i>	V.	334	xxii.	1861
— <i>pyropygia</i>	Suppl.	Not fig ^a	iii.	1883
— <i>scapulata</i>	Suppl.	Not fig ^a	iii.	1883
— <i>smaragdo-cærulea</i> . . .	V.	331	xxii.	1861
— <i>subcærulea</i>	Suppl.	Not fig ^a	iii.	1883
<i>Eugenes fulgens</i>	II.	59	xii.	1856
— <i>spectabilis</i>	Suppl.		iv.	1885
<i>Eugenia imperatrix</i>	IV.	234	xi.	1856
<i>Eulampis chlorolæmus</i> . . .	II.	84	xiv.	1857
— <i>holosericeus</i>	II.	83	xiv.	1857
— <i>jugularis</i>	II.	82	xiv.	1857
<i>Eupetomena hirundinacea</i> . .	II.	42	vi.	1853
— <i>hirundo</i>	Suppl.		iii.	1883
<i>Eupherusa egregia</i>	Suppl.	Not fig ^a	iv.	1885
— <i>eximia</i>	V.	324	xiv.	1857
— <i>poliocerca</i>	Suppl.		ii.	1881
<i>Eustephanus fernandensis</i> . .	IV.	267	vii.	1854
— — —	Suppl.		ii.	1881
— <i>galeritus</i>	IV.	265	iii.	1852
— <i>leyboldi</i>	Suppl.		ii.	1881

	Vol.	Plate.	Part.	Date.
<i>Eustephanus stokesi</i> . . .	IV.	266	vii.	1854
<i>Eutoxeres aquila</i> . . .	I.	3	ii.	1851
— <i>condamini</i> . . .	I.	4	ii.	1851
— <i>heterura</i> . . .	Suppl.	Not fig ^d	iii.	1883
— <i>salvini</i> . . .	Suppl.	Not fig ^d	iii.	1883
<i>Florisuga atra</i> . . .	II.	115	ii.	1851
— <i>flabellifera</i> . . .	II.	114	ii.	1851
— <i>mellivora</i> . . .	II.	113	ii.	1851
<i>Glaucis affinis</i> . . .	I.	7	xxiv.	1861
— <i>dohrni</i> . . .	I.	10	ix.	1855
— <i>fraseri</i> . . .	I.	12	xxiv.	1861
— <i>hirsuta</i> . . .	I.	5	xi.	1856
— <i>lanceolata</i> . . .	I.	8	xxiv.	1861
— <i>mazepa</i> . . .	I.	6	xxiv.	1861
— <i>melanura</i> . . .	I.	9	xxii.	1861
— <i>ruckeri</i> . . .	I.	11	ii.	1851
<i>Gouldia conversi</i> . . .	III.	129	vii.	1854
— <i>laetitiae</i> . . .	III.	130	x.	1855
— <i>langsdorffi</i> . . .	III.	128	vii.	1854
— <i>popelairi</i> . . .	III.	127	vii.	1854
<i>Grypus nævius</i> . . .	I.	1	iii.	1852
— <i>spixi</i> . . .	I.	2	xxii.	1861
<i>Heliactin cornuta</i> . . .	IV.	212	xi.	1856
<i>Heliangelus amethysticollis</i> .	IV.	245	ix.	1855
— <i>clarissæ</i> . . .	IV.	242	ix.	1855
— <i>mavors</i> . . .	IV.	246	ix.	1855
— <i>micrastur</i> . . .	Suppl.		iii.	1883
— <i>spencei</i> . . .	IV.	244	ix.	1855
— <i>strophianus</i> . . .	IV.	243	ix.	1855
<i>Helianthea bonapartei</i> . . .	IV.	236	viii.	1854
— <i>dichroura</i> . . .	Suppl.		ii.	1881
— <i>eos</i> . . .	IV.	237	x.	1855
— <i>lutctiae</i> . . .	IV.	238	xiii.	1857
— <i>typica</i> . . .	IV.	235	viii.	1854
— <i>violifera</i> . . .	IV.	239	x.	1855
<i>Heliodoxa jacula</i> . . .	II.	94	xvi.	1858
— <i>jamesoni</i> . . .	II.	95	xxi.	1861
— <i>leadbeateri</i> . . .	II.	97	xx.	1860
— <i>otero</i> . . .	II.	96	xx.	1860
<i>Heliomaster albierissa</i> . . .	Suppl.	Not fig ^d	iv.	1885
— <i>angelæ</i> . . .	IV.	263	v.	1853
— <i>constantii</i> . . .	IV.	260	v.	1853
— <i>longirostris</i> . . .	IV.	259	v.	1853

	Vol.	Plate.	Part.	Date.
<i>Helioömaster mesoleucus</i> . . .	IV.	262	v.	1853
— <i>pinicola</i>	IV.	261	v.	1853
<i>Heliopædica melanotis</i> . . .	II.	64	xv.	1858
— <i>xantusi</i>	II.	65	xxi.	1861
<i>Heliothrix auriculatus</i> . . .	IV.	214	vi.	1853
— <i>auritus</i>	IV.	213	vi.	1853
— <i>barroti</i>	IV.	217	vi.	1853
— <i>phainolæma</i>	IV.	215	xvii.	1859
— <i>purpureiceps</i>	IV.	216	xvii.	1859
<i>Heliotrypha parzudaki</i> . . .	IV.	240	xix.	1860
— <i>viola</i>	IV.	241	v.	1853
<i>Hylocharis cyanea</i>	V.	344	iii.	1852
— <i>lactea</i>	V.	343	xviii.	1859
— <i>sapphirina</i>	V.	342	iii.	1852
<i>Hylonympha macrocerea</i> . . .	Suppl.		i.	1880
<i>Hypuroptila buffoni</i>	II.	89	vii.	1854
— <i>cæruleigaster</i>	II.	91	vii.	1854
— <i>melanorrhoa</i>	Suppl.		ii.	1881
— <i>urochrysia</i>	II.	90	xxii.	1861
<i>Ionolaima frontalis</i>	II.	92	xviii.	1859
— <i>schreibersi</i>	II.	93	xiii.	1857
*— <i>whitelyana</i>	Suppl.		iii.	1883
<i>Juliamyia typica</i>	V.	337	xviii.	1859
<i>Klais guimeti</i>	IV.	210	xiv.	1857
<i>Lafresnaya flavicaudata</i> . . .	II.	85	xiii.	1857
— <i>gayi</i>	II.	86	xiii.	1857
<i>Lampornis aurulentus</i>	II.	79	xv.	1858
— <i>calosoma</i>	Suppl.		i.	1880
— <i>gramineus</i>	II.	77	xv.	1858
— <i>mango</i>	II.	74	xii.	1856
— <i>porphyrurus</i>	II.	81	xv.	1858
— <i>prevosti</i>	II.	75	xv.	1858
— <i>veraguensis</i>	II.	76	xv.	1858
— <i>virginalis</i>	II.	89	xxiv.	1861
— <i>viridis</i>	II.	78	xxi.	1861
<i>Lamprolaima rhami</i>	II.	61	xi.	1856
<i>Lesbia amaryllis</i>	III.	170	vii.	1854
— <i>chlorura</i>	Suppl.	Not fig ^d	iii.	1883
— <i>eucharis</i>	III.	171	xx.	1860
— <i>gouldi</i>	III.	167	xii.	1856
— <i>gracilis</i>	III.	168	xx.	1860
— <i>nuna</i>	III.	169	xx.	1860
<i>Leucippus chionogaster</i> . . .	V.	290	ix.	1855

* Spelt *Ionolæma*.

	Vol.	Plate.	Part.	Date.
<i>Leucippus fallax</i>	II.	56	xii.	1856
<i>Leucochloris albicollis</i>	V.	291	x.	1855
<i>Loddigesia mirabilis</i>	III.	161	xxiii.	1861
<i>Lophornis adorabilis</i>	Suppl.		i.	1880
— <i>chalybeus</i>	III.	124	iii.	1852
— <i>delattrei</i>	III.	121	xxiv.	1861
— <i>gouldi</i>	III.	118	x.	1855
— <i>helenae</i>	III.	123	x.	1855
— <i>magnificus</i>	III.	119	x.	1855
— <i>ornatus</i>	III.	117	x.	1855
— <i>reginae</i>	III.	122	x.	1855
— <i>regulus</i>	III.	120	x.	1855
— <i>verreauxi</i>	III.	125	xx.	1860
<i>Mellisuga minima</i>	III.	133	ii.	1851
<i>Metallura æneicauda</i>	III.	192	xvii.	1859
— <i>cupreicauda</i>	III.	191	xvii.	1859
— <i>primolinus</i>	III.	194	xxiii.	1861
— <i>smaragdinicollis</i>	III.	196	xvii.	1859
— <i>tyrianthina</i>	III.	195	xvii.	1859
— <i>williami</i>	III.	193	xvii.	1859
<i>Microchera albocoronata</i> . .	II.	116	xvi.	1858
— <i>parvirostris</i>	Suppl.		i.	1880
<i>Myiabeccilia typica</i>	IV.	211	viii.	1854
<i>Oreonympha nobilis</i>	Suppl.		i.	1880
<i>Oreopyra calolæma</i>	Suppl.		iv.	1885
— <i>cinereicauda</i>	Suppl.		iv.	1885
— <i>leucaspis</i>	IV.	264	xxi.	1861
— — —	Suppl.	Not fig ^d	iv.	1885
<i>Oreotrochilus adelæ</i>	II.	73	i.	1849
— <i>chimborazo</i>	II.	68	ii.	1851
— <i>estella</i>	II.	70	i.	1849
— <i>leucopleurus</i>	II.	71	i.	1849
— <i>melanogaster</i>	II.	72	xviii.	1859
— <i>pichincha</i>	II.	69	ii.	1851
<i>Orthorhynchus cristatus</i> . .	IV.	205	xiii.	1857
— <i>exilis</i>	IV.	207	xiii.	1857
— <i>ornatus</i>	IV.	206	xxiv.	1861
<i>Oxypogon cyanolæmus</i> . .	Suppl.		iii.	1883
— <i>guerinii</i>	III.	182	i.	1849
— <i>lindenii</i>	III.	183	i.	1849
<i>Panoplates flavescens</i>	II.	111	viii.	1854
— <i>jardini</i>	II.	110	viii.	1854
— <i>matthewsi</i>	II.	112	viii.	1854

	Vol.	Plate.	Part.	Date.
Panterpe insignis	V.	336	xxi.	1861
Panychloraa russata	Suppl.		iii.	1883
— stenura	Suppl.		iii.	1883
Patagona gigas	IV.	232	ix.	1855
Petasophora anais	IV.	224	v.	1853
— coruscans	IV.	226	v.	1853
— cyanotis	IV.	228	v.	1853
— delphinæ	IV.	229	v.	1853
— iolata	IV.	225	v.	1853
— serrirostris	IV.	223	v.	1853
— thalassina	IV.	227	v.	1853
Phæolæma æquatorialis . . .	IV.	269	xix.	1860
— rubinoïdes	IV.	268	xvi.	1858
Phæoptila sordida	V.	340	xxii.	1861
Phaethornis adolphi	I.	35	xiv.	1857
— amaura	I.	32	xvii.	1859
— anthophilus	I.	24	vii.	1854
— augusti	I.	29	vii.	1854
— bourcieri	I.	25	v.	1853
— cephalus	I.	19	xvi.	1858
— episcopus	I.	39	xviii.	1859
— eremita	I.	40	i.	1849
— eurynome	I.	16	i.	1849
— fraterculus	I.	18	xxiii.	1861
— griseogularis	I.	36	ii.	1851
— guyi	I.	26	iv.	1852
— hispidus	I.	22	iv.	1852
— intermedius	I.	30	vi.	1853
— longuemareus	I.	31	xiv.	1857
— nigricinctus	I.	39	xviii.	1859
— obscura	I.	38	xv.	1858
— oseryi	I.	23	xviii.	1859
— philippi	I.	21	x.	1855
— pretrei	I.	28	vii.	1854
— pygmæus	I.	41	iv.	1852
— striigularis	I.	37	viii.	1854
— superciliosus	I.	17	xvi.	1858
— syrmatophorus	I.	20	iv.	1852
— viridicaudata	I.	33	xv.	1858
— yaruqui	I.	27	iv.	1852
— zouura	I.	34	xxiii.	1861
Phlogophilus hemileucurus .	V.	360	xxiv.	1861
Pinarolæma buckleyi . . .	Suppl.		i.	1880

	Vol.	Plate.	Part.	Date.
Pterophanes temmincki . . .	III.	178	i.	1849
*Rhamphomicron dorsale . . .	Suppl.		iii.	1883
— herrani	III.	187	iv.	1852
— heteropogon	III.	184	iv.	1852
— microrhyncha	III.	189	iv.	1852
*— olivaceum	Suppl.		iii.	1883
— ruficeps	III.	188	iv.	1852
— stanleyi	III.	185	iv.	1852
— vulcani	III.	186	xxiii.	1861
Rhodopis vespera	III.	154	xi.	1856
Sapphironia cœruleogularis .	V.	346	xix.	1860
— goudoti	V.	345	xix.	1860
— luminosa	Suppl.	Not fig ^d	iv.	1885
Saucerottia cyanifrons . . .	V.	323	xii.	1856
Schistes albogularis	IV.	220	vi.	1853
— geoffroyi	IV.	218	vi.	1853
— personatus	IV.	219	xxiii.	1861
Selasphorus ardens	Suppl.		iii.	1883
— flammula	Suppl.		iii.	1883
— floresii	III.	139	xxiii.	1861
— heloïsæ	III.	141	viii.	1854
— henshawi	Suppl.	Not fig ^d	iii.	1883
— platycercus	III.	140	iii.	1852
— rufus	III.	137	iii.	1852
— scintilla	III.	138	iii.	1852
— torridus	Suppl.	Not fig ^d	iii.	1883
Smaragdochrysis iridescentis .	V.	359	xxiv.	1861
Sparganura glyceria	Suppl.		i.	1880
Spathura cissiura	III.	166	xix.	1860
— melanthera	III.	163	xviii.	1859
— peruana	III.	164	i.	1849
— rufocaligata	III.	165	i.	1849
— solstitialis	Suppl.		ii.	1881
— underwoodi	III.	162	i.	1849
Sporadinus elegans	V.	347	xvii.	1859
— maugaei	V.	349	xxiv.	1861
— ricordi	V.	348	xx.	1860
Sternoclyta cyaneipectus . .	II.	58	xvi.	1858
Thalurania colombica	II.	106	xvi.	1858
— eryphile	II.	108	xvi.	1858
— furcata	II.	101	xvi.	1858
— glaukopis	II.	99	xi.	1856
— hypochlora	Suppl.		i.	1880

* Correctly spelt *Rhamphomicron*.

	Vol.	Plate.	Part.	Date.
<i>Thalurania nigrofasciata</i> . . .	II.	104	xxi.	1861
— <i>refulgens</i>	II.	102	xxi.	1861
— <i>tschudi</i>	II.	103	xxi.	1861
— <i>venusta</i>	II.	105	xvi.	1858
— <i>verticeps</i>	II.	107	xvi.	1858
— <i>wagleri</i>	II.	109	xiii.	1857
— <i>watertoni</i>	II.	100	xi.	1856
<i>Thaumastura cora</i>	III.	153	xiii.	1857
— <i>elisae</i>	III.	155	xiii.	1857
— <i>enicura</i>	III.	157	iv.	1852
— <i>evelinæ</i>	III.	156	xxi.	1861
<i>Thaumatias affinis</i>	V.	299	ix.	1855
— <i>albiventris</i>	V.	301	xii.	1856
— <i>brevirostris</i>	V.	298	ix.	1855
— <i>candidus</i>	V.	292	xix.	1860
— <i>chionopectus</i>	V.	293	xviii.	1859
— <i>chionurus</i>	V.	300	iii.	1852
— <i>leucogaster</i>	V.	294	xviii.	1859
— <i>linnæi</i>	V.	302	xii.	1856
— <i>milleri</i>	V.	296	xviii.	1859
— <i>nitidifrons</i>	V.	297	xxiii.	1861
— <i>viridiceps</i>	V.	295	xxii.	1861
<i>Threnetes antoniæ</i>	I.	15	iv.	1852
— <i>cervinicauda</i>	I.	14	xxiv.	1861
— <i>leucurus</i>	I.	13	iv.	1852
<i>Timolia lerchi</i>	Suppl.		iv.	1885
<i>Topaza pella</i>	II.	66	ii.	1851
— <i>pyra</i>	II.	67	ii.	1851
<i>Trochilus alexandri</i>	III.	132	xiv.	1857
— <i>colubris</i>	III.	131	xv.	1858
— <i>polytmus</i>	II.	98	i.	1849
<i>Tryphæna dupontii</i>	III.	158	i.	1849
<i>Uranomitra microrhyncha</i>	Suppl.	Not fig ^d	iv.	1885
— <i>viridifrons</i>	Suppl.		iv.	1885
<i>Urochroa bougueri</i>	II.	57	xii.	1856
<i>Urosticte benjamini</i>	III.	190	vi.	1853
— <i>ruficirissa</i>	Suppl.		iii.	1883
<i>Zodalia ortonii</i>	Suppl.		i.	1880

A Monograph of the Odontophorinæ, or Partridges of America. Dedicated to HIS HIGHNESS CHARLES LUCIEN BONAPARTE, PRINCE OF CANINO AND MUSIGNANO. By JOHN GOULD, F.R.S. &c. 1 Vol. Folio. London, 1850.

[Published in 3 Parts, 1844–50. Part III. contains Title; Dedication; List of Subscribers; Preface; Introduction; Lists of Plates to Parts I. to III.; and 12 Plates.]

	Plate.	Part.	Date.
<i>Callipepla californica</i>	16	i.	1844
— <i>elegans</i>	18	i.	1844
— <i>gambelii</i>	17	iii.	1850
— <i>picta</i>	15	i.	1844
— <i>squamata</i>	19	i.	1844
<i>Cyrtonyx massena</i>	7	i.	1844
— <i>ocellatus</i>	8	ii.	1846
<i>Dendroxyx barbatus</i>	22	ii.	1846
— <i>leucophrys</i>	21	ii.	1846
— <i>macrourus</i>	20	i.	1844
<i>Eupsychortyx cristatus</i>	9	ii.	1846
— <i>leucopogon</i>	13	iii.	1850
— <i>leucotis</i>	10	i.	1844
— <i>parviceristatus</i>	12	ii.	1846
— <i>sonnini</i>	11	iii.	1850
<i>Odontophorus balliviani</i>	29	iii.	1850
— <i>columbianus</i>	30	iii.	1850
— <i>dentatus</i>	26	ii.	1846
— <i>guianensis</i>	23	i.	1844
— <i>guttatus</i>	28	ii.	1846
— <i>lineolatus</i>	32	iii.	1850
— <i>pachyrhynchus</i>	24	iii.	1850
— <i>speciosus</i>	25	iii.	1850
— <i>stellatus</i>	27	ii.	1846
— <i>strophium</i>	31	i.	1844


	Plate.	Part.	Date.
Ortyx castaneus	3	iii.	1850
— coyolcos	6	iii.	1850
— cubanensis	2	iii.	1850
— nigrogularis	4	ii.	1846
— pectoralis	5	iii.	1850
— virginianus	1	i.	1844
Philortyx fasciatus	14	ii.	1846

A Monograph of the Trogonidæ, or Trogons. By
 JOHN GOULD, F.R.S. &c. [Revised edition.]
 Folio. London, 1875.

[Published in 4 Parts, 1858-75. Part IV. contains 10 Plates; Title; Dedication; Preface; Introduction; Synopsis of the Species; List of Plates.]

	Plate.	Part.	Date.
<i>Euptilotis neoxenus</i>	6	i.	1858
<i>Hapaloderma constantia</i>	35	iii.	1875
— <i>narina</i>	34	iii.	1875
<i>Harpactes ardens</i>	39	ii.	1869
— <i>diardi</i>	36	iii.	1875
— <i>duvauceli</i>	40	i.	1858
— <i>erythrocephalus</i>	43	iv.	1875
— <i>fasciatus</i>	38	iii.	1875
— <i>hodgsoni</i>	42	ii.	1869
— <i>kasumba</i>	37	ii.	1869
— <i>mackloti</i>	45	ii.	1869
— <i>oreskios</i>	46	ii.	1869
— <i>reinwardti</i>	44	ii.	1869
— <i>rutilus</i>	41	i.	1858
<i>Pharomacrus antisianus</i>	2	i.	1858
— <i>auriceps</i>	4	i.	1858
— — (<i>immature male</i>)	4a	iv.	1875
— <i>fulgidus</i>	3	i.	1858
— <i>mocinno</i>	1	iii.	1875
— <i>pavoninus</i>	5	ii.	1869
<i>Prionotelus temnurus</i>	33	ii.	1869
<i>Troctes massenæ</i>	31	ii.	1869
<i>Trogon ambiguus</i>	8	i.	1858
— <i>atricollis</i>	14	iv.	1875
— <i>aurantiiventris</i>	12	i.	1858
— <i>aurautius</i>	24	ii.	1869
— <i>bairdi</i>	23	iii.	1875
— <i>behni</i>	20	iv.	1875
— <i>caligatus</i>	16	i.	1858

	Plate.	Part.	Date.
Trogon chionurus	22	iii.	1875
— citreolus	26	iv.	1875
— clathratus	28	iii.	1875
— collaris	13	iv.	1875
— elegans	9	ii.	1869
— macrurus	30	iv.	1875
— melanocephalus	27	i.	1858
— melanurus	29	iii.	1875
— meridionalis	17	iv.	1875
— mexicanus	7	iii.	1875
— personatus	10	iii.	1875
— puella	11	i.	1858
— ramonianus	18	i.	1858
— roseigaster	32	i.	1858
— surucua	25	ii.	1869
— tenellus	15	iv.	1875
— variegatus	19	iv.	1875
— viridis	21	ii.	1869





SMITHSONIAN INSTITUTION LIBRARIES



3 9088 00182195 8

nrbird QL674.D23

The dates of publication of some of the